

Genesi led light price list - 2026 R1.0

Attention! The price list refers to the configuration guide available to the customer or prospect

The products are divided in standard (at the top of the page) and personalised (right below), it is possible to choose between selected LED lightings or opt for a new LED lights.

The products can be personalised according to the needs of the customer.

Please for any further information write an email to: vendite@genesi-elettronica.it (italian) or sales@genesi-elettronica.it (english or other languages).

HERE SOME EXAMPLES IN THE PRICE LIST

OVER 18 STANDARD COLOURS

White	4000-6000K
UV-A	365-385-395-405nm
RGB	
Visible	Blue-Green-Red-Deep Red
NIR	730-850-950nm
SWIR	1050-1200-1300-1450-1550nm

COVER
Transparent, Opaline, Satin, Black Opaline, Polarizing filter

FIXING VARIANTS

Base Fixing
Short Fixing
Rear Fixing

LENGHT


base 3 cm
5 cm
10 cm
20 cm
28 cm
34 cm
42 cm
50 cm
100 cm
200 cm
up to 600 cm

POWER

base 85mA per led
10 mA per led
20 mA per led
40 mA per led
120 mA per led (semicontinuous use)
300 mA per led (only Pulse use)
Analog regulation 0-10V
Analog regulation 0-24V
Current Control

CABLES

base 2 Mt 2P cable
M8 - 20 cm cable + M8 3P M
M12 - 20 cm cable + M12 5P M
S - 2 Mt cable + logic start
M8S - 20 cm cable+ M8 3P M + logic start
M12S - 20cm cable M12 5P M + logic start
5M - 5 Mt 2P cable
5MS -5 Mt 3P cable + logic start



GEIL	Bar light	Configuration Guide 2026 page 3,4								
	Code	Description	Price list 2026							
GEIL base model	GEIL03-6K-OP	bar light 3 cm White 6000K Opaline cover 240Lm 70mA 1,6W 2Mt cable 2 Wires UL	€ 59,00	Base model short delivery times Request a sample for your tests						
	GEIL03-6K-T	bar light 3 cm White 6000K Transparent cover 240Lm 70mA 1,6W 2Mt cable 2 Wires UL	€ 59,00							
	GEIL05-6K-OP	bar light 5 cm White 6000K Opaline cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 60,00							
	GEIL05-6K-T	bar light 5 cm White 6000K Transparent cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 60,00							
	GEIL10-6K-OP	bar light 10 cm White 6000K Opaline cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 62,00							
	GEIL10-6K-T	bar light 10 cm White 6000K Transparent cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 62,00							
	GEIL20-6K-OP	bar light 20 cm White 6000K Opaline cover 600Lm 170mA 4,0W 2Mt cable 2 Wires UL	€ 65,00							
	GEIL20-6K-T	bar light 20 cm White 6000K Transparent cover 600Lm 170mA 4,0W 2Mt cable 2 Wires UL	€ 65,00							
	GEIL28-6K-OP	bar light 28 cm White 6000K Opaline cover 900Lm 250mA 6,0W 2Mt cable 2 Wires UL	€ 71,00							
	GEIL28-6K-T	bar light 28 cm White 6000K Transparent cover 900Lm 250mA 6,0W 2Mt cable 2 Wires UL	€ 71,00							
	GEIL34-6K-OP	bar light 34 cm White 6000K Opaline cover 1200Lm 335mA 8W 2Mt cable 2 Wires UL	€ 86,00							
	GEIL34-6K-T	bar light 34 cm White 6000K Transparent cover 1200Lm 335mA 8W 2Mt cable 2 Wires UL	€ 86,00							
	GEIL42-6K-OP	bar light 42 cm White 6000K Opaline cover 1530Lm 425mA 10W 2Mt cable 2 Wires UL	€ 97,00							
	GEIL42-6K-T	bar light 42 cm White 6000K Transparent cover 1530Lm 425mA 10W 2Mt cable 2 Wires UL	€ 97,00							
	GEIL50-6K-OP	bar light 50 cm White 6000K Opaline cover 1800Lm 500mA 12W 2Mt cable 2 Wires UL	€ 115,00							
	GEIL50-6K-T	bar light 50 cm White 6000K Transparent cover 1800Lm 500mA 12W 2Mt cable 2 Wires UL	€ 115,00							
	GEIL100-6K-OP	bar light 100 cm White 6000K Opaline cover 3600Lm 1000mA 24W 2Mt cable 2 Wires UL	€ 220,00							
	GEIL100-6K-T	bar light 100 cm White 6000K Transparent cover 3600Lm 1000mA 24W 2Mt cable 2 Wires UL	€ 220,00							
	GEIL200-6K-OP	bar light 200 cm White 6000K Opaline cover 7200Lm 2000mA 48W 2Mt cable 2 Wires UL	€ 400,00							
	GEIL200-6K-T	bar light 200 cm White 6000K Transparent cover 7200Lm 2000mA 48W 2Mt cable 2 Wires UL	€ 400,00							
			GEIL model 1-4 weeks delivery time							
GEIL examples	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Fixing variants	Supply connection	
	GEILXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW2	WW3	
	GEIL05-6K-T-M8	bar light 5 cm White 6000K Transparent cover 300Lm 85mA 2,0W 20cm cable M8 3P M UL	€ 70,00							-M8
	GEIL05-6K-OP-M8	bar light 5 cm White 6000K Opaline cover 300Lm 85mA 2,0W 20cm cable M8 3P M UL	€ 70,00							-M8
	GEIL10-6K-OP-M8	bar light 10 cm White 6000K Opaline cover 300Lm 85mA 2,0W 20cm cable M8 3P M UL	€ 71,00							-M8
	GEIL10-6K-OP-M12	bar light 10 cm White 6000K Opaline cover 300Lm 85mA 2,0W 20cm cable M12 5P M UL	€ 72,00							-M12
	GEIL18-6K-OP-FS-M8	bar light 18 cm White 6000K Opaline cover 600Lm 170mA 4,0W Rear fixing 20cm cable M8 3P M UL	€ 68,00	18cm				-FS		-M8
	GEIL20-6K-OP-M8	bar light 20 cm White 6000K Opaline cover 600Lm 170mA 4,0W 20cm cable M8 3P M UL	€ 74,00							-M8
	GEIL20-6K-T-M8	bar light 20 cm White 6000K Transparent cover 600Lm 170mA 4,0W 20cm cable M8 3P M UL	€ 74,00							-M8
	GEIL20-6K-OP-M8S	bar light 20 cm White 6000K Opaline cover 600Lm 170mA 4,0W 20cm cable M8 3P M + Logic start UL	€ 80,00							-M8S
	GEIL20-6K-OP-M12	bar light 20 cm White 6000K Opaline cover 600Lm 170mA 4,0W 20cm cable M12 5P M UL	€ 75,00							-M12
	GEIL20-625-FS-P-M8S	bar light 20 cm Red 625nm Polarizing filter cover 170mA 4,0W Rear fixing 20cm cable M8 3P M + Logic start	€ 195,00		Red 625nm		Polarizing filter -P	-FS		-M8S
	GEIL20-365-250-T-M12S	bar light 20 cm UV365nm transparent cover 250mA 6,0W 20cm cable M12 5P M + Logic start	€ 230,00		UV365nm					-M12S
	GEIL26-6K-OP-M8S	bar light 26 cm White 6000K Opaline cover 900Lm 250mA 6,0W 20cm cable M8 3P M + Logic start UL	€ 87,00	26cm						-M8S
	GEIL28-RGB-OP-3PM	bar light 28 cm RGB Opaline cover GE440-20mA 400mA 10W 3Mt mobile laying cable UL	€ 132,00		RGB					-3PM
	GEIL43-6K-T-M8	bar light 43 cm white 6000K Transparent cover 400 mA 9,6 W 20 cm cable + M8 3 P UL	€ 117,00	43cm						-M8
	GEIL43-625-T-M8	bar light 43 cm Red 625nm Transparent cover GE402A-625 425mA 10W 20cm cable M8 3P M UL	€ 149,00	43cm	Red 625nm					-M8
	GEIL43-524-T-M8	bar light 43 cm Green 524nm Transparent cover GE442A-524-40 425mA 10W 20cm cable M8 3P M UL	€ 149,00	43cm	Green 524nm					-M8
	GEIL50-6K-OP-M8S	bar light 50 cm White 6000K Opaline cover 1800Lm 500mA 12,0W 20cm cable M8 3P M + Logic start UL	€ 130,00							-M8S
	GEIL50-6K-OP-M12	bar light 50 cm White 6000K Opaline cover 1800Lm 500mA 12,0W 20cm cable M12 5P M UL	€ 125,00							-M12
	GEIL58-6K-OP-M8S	bar light 58 cm White 6000K Opaline cover 2100Lm 585mA 14,0W 20cm cable M8 3P M + Logic start UL	€ 151,00	58cm						-M8S
	GEIL80-RGB-10-T	bar light 80 cm RGB Transparent cover GE440-10mA low power 570mA 14W 2Mt cable 4 Wires UL	€ 349,00	80cm	RGB	-10mA				
	GEIL84-6K-OP-M12	bar light 84 cm White 6000K Opaline cover 3000Lm 850mA 20W 20cm cable M12 5P M UL	€ 195,00	84cm						-M12
	GEIL100-RGB-OP-M12	bar light 100 cm RGB Opaline cover GE440-20mA 1,44A 34W 20cm cable M12 5P M UL	€ 430,00		RGB					-M12
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it										
Example :	GEILXXX-YYY-CCC-XYZ	product reserved for customer XYZ								



GEILD		Bar light Code	Configuration Guide 2026 page 5,6 Description	Price list 2026								
GEILD base model	GEILD03-6K-OP	bar light 3 cm White 6000K Opaline cover 480Lm 140mA 3,2W 2Mt cable 2 Wires UL	€	104,00	base model short delivery times Request a sample for your tests							
	GEILD03-6K-T	bar light 3 cm White 6000K Transparent cover 480Lm 140mA 3,2W 2Mt cable 2 Wires UL	€	104,00								
	GEILD05-6K-OP	bar light 5 cm White 6000K Opaline cover 600Lm 170mA 4,0W 2Mt cable 2 Wires UL	€	105,00								
	GEILD05-6K-T	bar light 5 cm White 6000K Transparent cover 600Lm 170mA 4,0W 2Mt cable 2 Wires UL	€	105,00								
	GEILD10-6K-OP	bar light 10 cm White 6000K Opaline cover 600Lm 170mA 4,0W 2Mt cable 2 Wires UL	€	106,00								
	GEILD10-6K-T	bar light 10 cm White 6000K Transparent cover 600Lm 170mA 4,0W 2Mt cable 2 Wires UL	€	106,00								
	GEILD20-6K-OP	bar light 20 cm White 6000K Opaline cover 1200Lm 340mA 8W 2Mt cable 2 Wires UL	€	112,00								
	GEILD20-6K-T	bar light 20 cm White 6000K Transparent cover 1200Lm 340mA 8W 2Mt cable 2 Wires UL	€	112,00								
	GEILD28-6K-OP	bar light 28 cm White 6000K Opaline cover 1800Lm 500mA 12W 2Mt cable 2 Wires UL	€	125,00								
	GEILD28-6K-T	bar light 28 cm White 6000K Transparent cover 1800Lm 500mA 12W 2Mt cable 2 Wires UL	€	125,00								
	GEILD34-6K-OP	bar light 34 cm White 6000K Opaline cover 2400Lm 665mA 16W 2Mt cable 2 Wires UL	€	159,00								
	GEILD34-6K-T	bar light 34 cm White 6000K Transparent cover 2400Lm 665mA 16W 2Mt cable 2 Wires UL	€	159,00								
	GEILD42-6K-OP	bar light 42 cm White 6000K Opaline cover 3060Lm 850mA 20W 2Mt cable 2 Wires UL	€	186,00								
	GEILD42-6K-T	bar light 42 cm White 6000K Transparent cover 3060Lm 850mA 20W 2Mt cable 2 Wires UL	€	186,00								
	GEILD50-6K-OP	bar light 50 cm White 6000K Opaline cover 3600Lm 1000mA 24W 2Mt cable 2 Wires UL	€	205,00								
	GEILD50-6K-T	bar light 50 cm White 6000K Transparent cover 3600Lm 1000mA 24W 2Mt cable 2 Wires UL	€	205,00								
	GEILD100-6K-OP	bar light 100 cm White 6000K Opaline cover 7200Lm 2000mA 48W 2Mt cable 2 Wires UL	€	385,00								
	GEILD100-6K-T	bar light 100 cm White 6000K Transparent cover 7200Lm 2000mA 48W 2Mt cable 2 Wires UL	€	385,00								
	GEILD200-6K-OP	bar light 200 cm White 6000K Opaline cover 14400Lm 4000mA 96W 2Mt cable 2 Wires UL	€	743,00								
	GEILD200-6K-T	bar light 200 cm White 6000K Transparent cover 14400Lm 4000mA 96W 2Mt cable 2 Wires UL	€	743,00								
				GEILD model 1-4 weeks delivery time								
GEILD examples	Code	Combine the variables to find your solution			Length	Led colour	Power	Cover variants	Fixing variants	Supply connection		
	GEILDXXX-YYY-CCC-VWW				XXX	YYY	CCC	VWW1	VWW2	VWW3		
	GEILD06-36S-340-T-M8S	bar light 6 cm UV365nm Transparent cover PMMA SK GE403 680mA 16W 50% T-ON 20cm cable M8 3P M + logic start UL	€	733,00	6cm	UV365nm	+ 100% Power			-M8S		
	GEILD10-4K-OP-S	bar light 10 cm White 4000K Opaline cover 600Lm 170mA 4W 2Mt cable + logic start UL	€	109,00		White 4000K				-S		
	GEILD18-6K-OP-M8S	bar light 18 cm White 6000K Opaline cover 1200Lm 340mA 8W 20cm cable M8 3P M + logic start UL	€	122,00	18cm					-M8S		
	GEILD18-62S-OP-M8S	bar light 18 cm Red 625nm Opaline cover 340mA 8W 20cm cable M8 3P M + logic start UL	€	154,00	18cm	Red 625nm				-M8S		
	GEILD20-4K-OP-S	bar light 20 cm White 4000K Opaline cover 1200Lm 340mA 8W 2Mt cable + logic start UL	€	115,00		White 4000K				-S		
	GEILD42-6K-ST-M12S	bar light 42 cm White 6000K Satin PMMA cover 3060Lm 850mA 20W 20cm cable M12 5P M + logic start UL	€	193,00				-ST		-M12S		
	GEILD50-850-T-M12S	bar light 50 cm IR 850nm Transparent cover 840mA 20W 20cm cable M12 5P M + logic start UL	€	270,00		IR850nm				-M12S		
	GEILD60-6K-OP-S	bar light 60 cm White 6000K Opaline cover 4200Lm 1190mA 28W 2Mt cable + logic start UL	€	240,00	60cm					-S		
	GEILD66-6K-OP-S	bar light 66 cm White 6000K Opaline cover 4900Lm 1360mA 32W 2Mt cable + logic start UL	€	262,00	66cm					-S		
	GEILD68-6K-OP-5MS	bar light 68 cm White 6000K Opaline cover 4900Lm 1360mA 32W 5Mt cable + logic start UL	€	275,00	68cm					-5MS		
	GEILD68-6K-OP-M12S	bar light 68 cm White 6000K Opaline cover 4900Lm 1360mA 32W 20cm cable M12 5P M + logic start UL	€	281,00	68cm					-M12S		
	GEILD100-6K-ST-M8S	bar light 100 cm White 6000K Satin PMMA cover 7200Lm 2000mA 48W 20cm cable M8 3P M + logic start UL	€	382,00				-ST		-M8S		
	GEILD124-6K-OP-5MS	bar light 124 cm White 6000K Opaline cover 9200Lm 2550mA 62W 5Mt cable + logic start UL	€	465,00	124cm					-5MS		
	GEILD124-6K-OP-M12S	bar light 124 cm White 6000K Opaline cover 9200Lm 2550mA 62W 20cm cable M12 5P M + logic start UL	€	472,00	124cm					-M12S		
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it												
Example :	GEILDXXX-YYY-CCC-XYZ	product reserved for customer XYZ										

GEM	Bar light	Configuration Guide 2026 page 9,10							
	Code	Description	Price list 2026						
GEM base model	GEM03-6K-70-OP	bar light 3 cm White 6000K Opaline cover 225Lm 70mA 1,7W 2Mt cable 2 Wires UL	€ 59,00	Base model short delivery times Request a sample for your tests					
	GEM03-6K-70-T	bar light 3 cm White 6000K Transparent cover 255Lm 70mA 1,7W 2Mt cable 2 Wires UL	€ 59,00						
	GEM05-6K-85-OP	bar light 5 cm White 6000K Opaline cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 60,00						
	GEM05-6K-85-T	bar light 5 cm White 6000K Transparent cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 60,00						
	GEM09-6K-OP	bar light 9 cm White 6000K Opaline cover 435Lm 120mA 2,9W 2Mt cable 2 Wires UL	€ 62,00						
	GEM09-6K-T	bar light 9 cm White 6000K Transparent cover 435Lm 120mA 2,9W 2Mt cable 2 Wires UL	€ 62,00						
	GEM18-6K-OP	bar light 18 cm White 6000K Opaline cover 810Lm 230mA 5,4W 2Mt cable 2 Wires UL	€ 66,00						
	GEM18-6K-T	bar light 18 cm White 6000K Transparent cover 810Lm 230mA 5,4W 2Mt cable 2 Wires UL	€ 66,00						
	GEM25-6K-OP	bar light 25 cm White 6000K Opaline cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 74,00						
	GEM25-6K-T	bar light 25 cm White 6000K Transparent cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 74,00						
	GEM34-6K-OP	bar light 34 cm White 6000K Opaline cover 1630Lm 450mA 11W 2Mt cable 2 Wires UL	€ 85,00						
	GEM34-6K-T	bar light 34 cm White 6000K Transparent cover 1630Lm 450mA 11W 2Mt cable 2 Wires UL	€ 85,00						
	GEM42-6K-OP	bar light 42 cm White 6000K Opaline cover 2055Lm 570mA 13,7W 2Mt cable 2 Wires UL	€ 98,00						
	GEM42-6K-T	bar light 42 cm White 6000K Transparent cover 2055Lm 570mA 13,7W 2Mt cable 2 Wires UL	€ 98,00						
	GEM50-6K-OP	bar light 50 cm White 6000K Opaline cover 2460Lm 680mA 16,3W 2Mt cable 2 Wires UL	€ 118,00						
	GEM50-6K-T	bar light 50 cm White 6000K Transparent cover 2460Lm 680mA 16,3W 2Mt cable 2 Wires UL	€ 118,00						
	GEM100-6K-OP	bar light 100 cm White 6000K Opaline cover 4920Lm 1360mA 32,8W 2Mt cable 2 Wires UL	€ 221,00						
	GEM100-6K-T	bar light 100 cm White 6000K Transparent cover 4920Lm 1360mA 32,8W 2Mt cable 2 Wires UL	€ 221,00						
	GEM200-6K-OP	bar light 200 cm White 6000K Opaline cover 9840Lm 2720mA 65,6W 2Mt cable 2 Wires UL	€ 422,00						
	GEM200-6K-T	bar light 200 cm White 6000K Transparent cover 9840Lm 2720mA 65,6W 2Mt cable 2 Wires UL	€ 422,00						
			GEM model 1-4 weeks delivery time						
GEM examples	Code	Combine the variables to find your solution		Length XXX	Led colour YYY	Power CCC	Cover variants WW1	Supply connection WW3	
	GEMXXX-YYY-CCC-WW								
	GEM03-6K-70-OP-M8S	bar light 3 cm White 6000K Opaline cover Lm 70mA W 20 cm M8 cable UL	€ 75,00					-M8S	
	GEM05-6K-85-L10	bar light 5 cm White 6000K 10° Lens cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 75,00				-L10		
	GEM09-625-L10	bar light 9 cm RED 625nm 10° Lens cover 120mA 2,9 2Mt cable 2 Wires UL	€ 92,00		Red 625nm		-L10		
	GEM09-850-OP-M12S	bar light 9 cm IR 850nm Opaline cover 70mA 1,7W 20cm cable M12 5P M+ logic start UL	€ 246,00		IR 850nm			-M12S	
	GEM18-625-L10	bar light 18 cm RED 625nm 10° Lens cover 260mA 5,5W 2Mt cable 2 Wires UL	€ 108,00		Red 625nm		-L10		
	GEM25-6K-L10-M8S	bar light 25 cm White 6000K 10° Lens cover 1230Lm 340mA 8,2W 20cm cable M8 3P M+ logic start UL	€ 118,00				-L10	-M8S	
	GEM25-625-L10	bar light 25 cm RED 625nm 10° Lens cover 340mA 8,6W 2Mt cable 2 Wires UL	€ 133,00		Red 625nm		-L10		
	GEM42-470-150-OP-M12S	bar light 42 cm Blue 470 nm Opaline cover Strobe use 33% T-ON 1,5A 36W 20cm cable M12 5P M+ logic start UL	€ 170,00		Blue 470nm	-150 300%power		-M12S	
	GEM50-6K-OP-M12S	bar light 50 cm White 6000K Opaline cover 2460Lm 680mA 16,3W 20cm cable M12 5P M+ logic start UL	€ 134,00					-M12S	
	GEM58-6K-OP-M12	bar light 58 cm White 6000K Opaline cover 2850Lm 791mA 19W 20cm cable M12 5P M UL	€ 149,00	58cm				-M12	
	GEM60-625-400-OP-M8S	bar light 60 cm RED 625nm Opaline cover 2,8A Strobe use 10% T-ON 20cm cable M8 3P M+ logic start UL	€ 205,00	60cm	Red 625nm	-400 +300% power		-M8S	
	GEM74-4K-OP-M8S	bar light 74 cm White 4000K Opaline cover 3675Lm 1,02A 25W 20cm cable M8 3P M+ logic start UL	€ 208,00	74cm	White 4000K			-M8S	
	GEM74-IR-200-T-M8S	bar light 74 cm IR 850nm Transparent cover 1,8A Strobe use 10% T-ON 20cm cable M8 3P M+ logic start UL	€ 284,00	74cm	IR 850nm	200mA @led		-M8S	
	GEM82-6K-300-L10-M8S	bar light 82 cm White 6000K 10° Lens cover Strobe use 10% T-ON 3 A 72W 20cm cable M8 3P M+ logic start UL	€ 318,00	82cm		-300 + 400% power	-L10	-M8S	
	GEM84-625-L10	bar light 84 cm RED 625nm 10° Lens cover 1,13 A 27W 2Mt cable 2 Wires UL	€ 318,00	84cm	Red 625nm		-L10		
	GEM84-470-150-OP-M12S	bar light 84 cm Blue 470 nm Opaline cover Strobe use 33% T-ON 3A 72W 20cm cable M12 5P M+ logic start UL	€ 308,00	84 cm	Blue 470nm	-150 300%power		-M12S	
	GEM100-6K-L60	bar light 100 cm White 6000K 60° Lens cover 5400Lm 1,5A 36W sk GE472 2Mt cable 2 Wires UL	€ 302,00				-L60		
	GEM100-365-T-5M	bar light 100 cm UV365 Transparent PMMA cover 1,5A 36W 5 Mt cable 2 Wires UL	€ 893,00		UV 365nm			-5M	
	GEM110-6K-T	bar light 110 cm White 6000K Transparent cover 5250Lm 1,47A 35W 2Mt cable 2 Wires UL	€ 242,00	110cm					
	GEM228-6K-OP-S	bar light 228 cm White 6000K Opaline cover 3,16A 76W 2Mt cable + logic start UL	€ 487,00	228cm				-S	
	GEM230-6KB-OP-M12	bar light 230 cm White 6000K + Blue 470nm opaline cover 3,23A, 20 cm M12 5P M UL	€ 564,00	230cm	Bicolour			-M12	
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	GEMXXX-YYY-CCC-XYZ	product reserved for customer XYZ							



GEMB		Bar light	Configuration Guide 2026 page 11,12										
		Code	Description	Price list 2026									
GEMB base model		GEMB03-6K-70-OP	bar light 3 cm White 6000K Opaline cover 225Lm 70mA 1,7W 2Mt cable 2 Wires UL	€ 54,00	Base model short delivery times Request a sample for your tests								
		GEMB03-6K-70-T	bar light 3 cm White 6000K Transparent cover 255Lm 70mA 1,7W 2Mt cable 2 Wires UL	€ 54,00									
		GEMB05-6K-85-OP	bar light 5 cm White 6000K Opaline cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 55,00									
		GEMB05-6K-85-T	bar light 5 cm White 6000K Transparent cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 55,00									
		GEMB09-6K-OP	bar light 9 cm White 6000K Opaline cover 435Lm 120mA 2,9W 2Mt cable 2 Wires UL	€ 56,00									
		GEMB09-6K-T	bar light 9 cm White 6000K Transparent cover 435Lm 120mA 2,9W 2Mt cable 2 Wires UL	€ 56,00									
		GEMB18-6K-OP	bar light 18 cm White 6000K Opaline cover 810Lm 230mA 5,4W 2Mt cable 2 Wires UL	€ 59,00									
		GEMB18-6K-T	bar light 18 cm White 6000K Transparent cover 810Lm 230mA 5,4W 2Mt cable 2 Wires UL	€ 59,00									
		GEMB25-6K-OP	bar light 25 cm White 6000K Opaline cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 68,00									
		GEMB25-6K-T	bar light 25 cm White 6000K Transparent cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 68,00									
		GEMB34-6K-OP	bar light 34 cm White 6000K Opaline cover 1620Lm 450mA 10,8W 2Mt cable 2 Wires UL	€ 80,00									
		GEMB34-6K-T	bar light 34cm White 6000K Transparent cover 1620Lm 450mA 10,8W 2Mt cable 2 Wires UL	€ 80,00									
		GEMB42-6K-OP	bar light 42 cm White 6000K Opaline cover 2055Lm 570mA 13,7W 2Mt cable 2 Wires UL	€ 92,00									
		GEMB42-6K-T	bar light 42 cm White 6000K Transparent cover 2055Lm 570mA 13,7W 2Mt cable 2 Wires UL	€ 92,00									
		GEMB50-6K-OP	bar light 50 cm White 6000K Opaline cover 2460Lm 680mA 16,3W 2Mt cable 2 Wires UL	€ 110,00									
		GEMB50-6K-T	bar light 50 cm White 6000K Transparent cover 2460Lm 680mA 16,3W 2Mt cable 2 Wires UL	€ 110,00									
		GEMB100-6K-OP	bar light 100 cm White 6000K Opaline cover 4920Lm 1360mA 32,8W 2Mt cable 2 Wires UL	€ 215,00									
		GEMB100-6K-T	bar light 100 cm White 6000K Transparent cover 4920Lm 1360mA 32,8W 2Mt cable 2 Wires UL	€ 215,00									
		GEMB200-6K-OP	bar light 200 cm White 6000K Opaline cover 9840Lm 2720mA 65,6W 2Mt cable 2 Wires UL	€ 414,00									
		GEMB200-6K-T	bar light 200 cm White 6000K Transparent cover 9840Lm 2720mA 65,6W 2Mt cable 2 Wires UL	€ 414,00									
				GEMB model 1-4 weeks delivery time									
GEMB examples	Code	Combine the variables to find your solution			Length XXX	Led colour YYY	Power CCC	Cover variants WW1	Supply connection WW3				
	GEMBX-YYY-CCC-WW												
	GEMB05-625-85-T-M8S	bar light 5 cm RED 625nm Transparent cover 85mA 20cm cable M8 3P M + logic start UL	€ 87,00			Red 625nm			-M8S				
	GEMB09-6K-OP-M12	bar light 9 cm White 6000K Opaline cover 435Lm 120mA 2,9W 20cm cable M12 5P M UL	€ 67,00						-M12				
	GEMB18-6K-OP-S	bar light 18 cm White 6000K Opaline cover 810Lm 230mA 5,4W 2Mt cable + logic start UL	€ 68,00						-S				
	GEMB42-4K-300-OP-M8S	bar light 42 cm White 4000K Opaline cover Strobe use 10% T-ON 1,5A 36W 20cm cable M8 3P M + logic start UL	€ 135,00			White 4000K	-300 + 400% power		-M8S				
						Green 524nm		-L25	-5MS				
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it													
Example :	GEMBX-YYY-CCC-XYZ	product reserved for customer XYZ											



GEMX4-X6	Bar light	Configuration Guide 2026 page 13,14							
Single cable driving	Code	Description	Price list 2026						
GEMX4 base model	GEMX4-03-6K-OP	bar light square composition 3 cm White 6000K Opaline cover 1000Lm 280mA 6,7W 2Mt cable 2 Wires UL	€ 554,00	Base model short delivery times Request a sample for your tests					
	GEMX4-03-6K-T	bar light square composition 3 cm White 6000K Transparent cover 1000Lm 280mA 6,7W 2Mt cable 2 Wires UL	€ 554,00						
	GEMX4-05-6K-OP	bar light square composition 05 cm White 6000K Opaline cover 1200Lm 340mA 8,0W 2Mt cable 2 Wires UL	€ 564,00						
	GEMX4-05-6K-T	bar light square composition 05 cm White 6000K Transparent cover 1200Lm 340mA 8,0W 2Mt cable 2 Wires UL	€ 564,00						
	GEMX4-09-6K-OP	bar light square composition 09 cm White 6000K Opaline cover 1740Lm 480mA 11,6W 2Mt cable 2 Wires UL	€ 574,00						
	GEMX4-09-6K-T	bar light square composition 09 cm White 6000K Transparent cover 1740Lm 480mA 11,6W 2Mt cable 2 Wires UL	€ 574,00						
	GEMX4-18-6K-OP	bar light square composition 18 cm White 6000K Opaline cover 3240Lm 920mA 21,6W 2Mt cable 2 Wires UL	€ 656,00						
	GEMX4-18-6K-T	bar light square composition 18 cm White 6000K Transparent cover 3240Lm 920mA 21,6W 2Mt cable 2 Wires UL	€ 656,00						
	GEMX4-25-6K-OP	bar light square composition 25 cm White 6000K Opaline cover 4940Lm 1380mA 32,8W 2Mt cable 2 Wires UL	€ 769,00						
	GEMX4-25-6K-T	bar light square composition 25 cm White 6000K Transparent cover 4940Lm 1380mA 32,8W 2Mt cable 2 Wires UL	€ 769,00						
GEMX6 base model	GEMX4-50-6K-OP	bar light square composition 50 cm White 6000K Opaline cover 9840Lm 2760mA65,6W 2Mt cable 2 Wires UL	€ 1.005,00						
	GEMX4-50-6K-T	bar light square composition 50 cm White 6000K Transparent cover 9840Lm 2760mA65,6W 2Mt cable 2 Wires UL	€ 1.005,00						
	GEMX6-03-6K-OP	bar light Hexagonal composition 3 cm White 6000K Opaline cover 2600Lm 720mA 17,3W 2Mt cable 2 Wires UL	€ 830,00						
	GEMX6-03-6K-T	bar light Hexagonal composition 3 cm White 6000K Transparent cover 2600Lm 720mA 17,3W 2Mt cable 2 Wires UL	€ 830,00						
	GEMX6-05-6K-OP	bar light Hexagonal composition 5 cm White 6000K Opaline cover 2600Lm 720mA 17,3W 2Mt cable 2 Wires UL	€ 846,00						
	GEMX6-05-6K-T	bar light Hexagonal composition 5 cm White 6000K Transparent cover 2600Lm 720mA 17,3W 2Mt cable 2 Wires UL	€ 846,00						
	GEMX6-09-6K-OP	bar light Hexagonal composition 9 cm White 6000K Opaline cover 2600Lm 720mA 17,3W 2Mt cable 2 Wires UL	€ 861,00						
	GEMX6-09-6K-T	bar light Hexagonal composition 9 cm White 6000K Transparent cover 2600Lm 720mA 17,3W 2Mt cable 2 Wires UL	€ 861,00						
	GEMX6-18-6K-OP	bar light Hexagonal composition 18 cm White 6000K Opaline cover 4900Lm 1,38 A 33W 2Mt cable 2 Wires UL	€ 984,00						
	GEMX6-18-6K-T	bar light Hexagonal composition 18 cm White 6000K Transparent cover 4900Lm 1,38 A 33W 2Mt cable 2 Wires UL	€ 984,00						
GEMX4S-X6S	GEMX6-25-6K-OP	bar light Hexagonal composition 25 cm White 6000K Opaline cover 7350Lm 2,04 A 49W 2Mt cable 2 Wires UL	€ 1.107,00						
	GEMX6-25-6K-T	bar light Hexagonal composition 25 cm White 6000K Transparent cover 7350Lm 2,04 A 49W 2Mt cable 2 Wires UL	€ 1.107,00						
	GEMX6-50-6K-OP	bar light Hexagonal composition 50 cm White 6000K Opaline cover 14700Lm 4,08A 98W 2Mt cable 2 Wires UL	€ 1.425,00						
	GEMX6-50-6K-T	bar light Hexagonal composition 50 cm White 6000K Transparent cover 14700Lm 4,08A 98W 2Mt cable 2 Wires UL	€ 1.425,00						
GEMX4S-X6S	Code	Description	Price list 2026						
	GEMX4S-03-6K-OP	bar light square composition 3 cm White 6000K Opaline cover 1000Lm 280mA 6,7W 4 cables (2Mt 2 Wires) UL	€ 554,00	Base model short delivery times Request a sample for your tests					
	GEMX4S-03-6K-T	bar light square composition 3 cm White 6000K Transparent cover 1000Lm 280mA 6,7W 4 cables (2Mt 2 Wires) UL	€ 554,00						
	GEMX4S-05-6K-OP	bar light square composition 05 cm White 6000K Opaline cover 1200Lm 340mA 8,0W 24 cables (2Mt 2 Wires) UL	€ 564,00						
	GEMX4S-05-6K-T	bar light square composition 05 cm White 6000K Transparent cover 1200Lm 340mA 8,0W 4 cables (2Mt 2 Wires) UL	€ 564,00						
	GEMX4S-09-6K-OP	bar light square composition 09 cm White 6000K Opaline cover 1740Lm 480mA 11,6W 4 cables (2Mt 2 Wires) UL	€ 574,00						
	GEMX4S-09-6K-T	bar light square composition 09 cm White 6000K Transparent cover 1740Lm 480mA 11,6W 4 cables (2Mt 2 Wires) UL	€ 574,00						
	GEMX4S-18-6K-OP	bar light square composition 18 cm White 6000K Opaline cover 3240Lm 920mA 21,6W 4 cables (2Mt 2 Wires) UL	€ 656,00						
	GEMX4S-18-6K-T	bar light square composition 18 cm White 6000K Transparent cover 3240Lm 920mA 21,6W 4 cables (2Mt 2 Wires) UL	€ 656,00						
	GEMX4S-25-6K-OP	bar light square composition 25 cm White 6000K Opaline cover 4940Lm 1380mA 32,8W 4 cables (2Mt 2 Wires) UL	€ 769,00						
	GEMX4S-25-6K-T	bar light square composition 25 cm White 6000K Transparent cover 4940Lm 1380mA 32,8W 4 cables (2Mt 2 Wires) UL	€ 769,00						
GEMX6S base model	GEMX4S-50-6K-OP	bar light square composition 50 cm White 6000K Opaline cover 9840Lm 2760mA 65,6W 4 cables (2Mt 2 Wires) UL	€ 1.005,00						
	GEMX4S-50-6K-T	bar light square composition 50 cm White 6000K Transparent cover 9840Lm 2760mA 65,6W 4 cables (2Mt 2 Wires) UL	€ 1.005,00						
	GEMX6S-03-6K-OP	bar light Hexagonal composition 3 cm White 6000K Opaline cover 2600Lm 720mA 17,3W 6 cables (2Mt cable 2 Wires) UL	€ 830,00						
	GEMX6S-03-6K-T	bar light Hexagonal composition 3 cm White 6000K Transparent cover 2600Lm 720mA 17,3W 6 cables (2Mt cable 2 Wires) UL	€ 830,00						
	GEMX6S-05-6K-OP	bar light Hexagonal composition 5 cm White 6000K Opaline cover 2600Lm 720mA 17,3W 6 cables (2Mt cable 2 Wires) UL	€ 846,00						
	GEMX6S-05-6K-T	bar light Hexagonal composition 5 cm White 6000K Transparent cover 2600Lm 720mA 17,3W 6 cables (2Mt cable 2 Wires) UL	€ 846,00						
	GEMX6S-09-6K-OP	bar light Hexagonal composition 9 cm White 6000K Opaline cover 2600Lm 720mA 17,3W 6 cables (2Mt cable 2 Wires) UL	€ 861,00						
	GEMX6S-09-6K-T	bar light Hexagonal composition 9 cm White 6000K Transparent cover 2600Lm 720mA 17,3W 6 cables (2Mt cable 2 Wires) UL	€ 861,00						
	GEMX6S-18-6K-OP	bar light Hexagonal composition 18 cm White 6000K Opaline cover 4900Lm 1,38 A 33W 6 cables (2Mt cable 2 Wires) UL	€ 984,00						
	GEMX6S-18-6K-T	bar light Hexagonal composition 18 cm White 6000K Transparent cover 4900Lm 1,38 A 33W 6 cables (2Mt cable 2 Wires) UL	€ 984,00						
GEMX6S base model	GEMX6S-25-6K-OP	bar light Hexagonal composition 25 cm White 6000K Opaline cover 7350Lm 2,04 A 49W 6 cables (2Mt cable 2 Wires) UL	€ 1.107,00						
	GEMX6S-25-6K-T	bar light Hexagonal composition 25 cm White 6000K Transparent cover 7350Lm 2,04 A 49W 6 cables (2Mt cable 2 Wires) UL	€ 1.107,00						
	GEMX6S-50-6K-OP	bar light Hexagonal composition 50 cm White 6000K Opaline cover 14700Lm 4,08A 98W 6 cables (2Mt cable 2 Wires) UL	€ 1.425,00						
	GEMX6S-50-6K-T	bar light Hexagonal composition 50 cm White 6000K Transparent cover 14700Lm 4,08A 98W 6 cables (2Mt cable 2 Wires) UL	€ 1.425,00						
			GEMX model 1-4 weeks delivery time						
	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Supply connection	
	GEM4XXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW3	
	GEMX4-09-6K-OP-S	bar light square composition 9 cm White 6000K Opaline cover 1740Lm 480mA 11,6W, 2Mt 3 poles + logic start UL	€ 584,00					-S	



GEMX examples	GEMX4-18X9-6K-OP-S	bar light square composition 18 cm x 9 cm White 6000K Opaline cover 2400Lm 700mA 16W 2Mt 3 poles + logic start UL	€	615,00	18 x 9cm				-S
	GEMX4-25-6K-OP-5M	bar light square composition 25 cm White 6000K Opaline cover 4940Lm 1380mA 32,8W 5Mt 2 poles cable UL	€	769,00					-5M
	GEMX4-25-4K-L10-M8	bar light square composition 25 cm White 4000K 10" Lens cover 4940Lm 1380mA 32,8W 20cm cable M8 M 3P M UL	€	774,00				-L10	-M8
	GEMX4-34-6K-OP	bar light square composition 34 cm White 6000K Opaline cover 6450Lm 1,8A 43W 2Mt cable 2 Wires UL	€	841,00	34cm				
	GEMX4-42-6K-OP	bar light square composition 42 cm White 6000K Opaline cover 8200Lm 2,28A 54W 2Mt cable 2 Wires UL	€	892,00	42cm				
	GEMX4-42-6K-300-OP-S	bar light square composition 42 cm White 6000K Opaline cover 216000Lm Strobe use 10% T-ON 6 A 144W, 2Mt 3 poles + logic start	€	1.153,00	42cm		-300 + 400% power		-S
	GEMX6-05-524-OP-S	bar light Hexagonal composition 5 cm Green G524 Opaline cover 480mA 12 W 2Mt 3 poles logic start UL	€	1.066,00		Green 524nm			-S
	GEMX6-18-6K-300-OP-M12S	bar light Hexagonal composition 18 cm White 6000K Opaline cover 49000Lm 1,38 A 33 W Strobe use 10% T-ON, 20 cm cable M12 M 5P +logic start UL	€	1.394,00			-300 + 400% power		
GEMX6-25-6K-OP-M12S	bar light Hexagonal composition 25 cm White 6000K Opaline cover 7200Lm 2 A 48 W 20 cm cable M12 M 5P + logic start UL	€	1.210,00					-M12S	
GEMX6-42-6K-OP	bar light Hexagonal composition 42 cm White 6000K Opaline cover 3,39A 81W 2Mt 2 poles UL	€	1.251,00	42cm					
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	GEMXXXX-YYY-CCC-XYZ	product reserved for customer XYZ							

GEMPC	Bar light	Configuration Guide 2026 page 15,16							
	Code	Description	Price list 2026						
GEMPC base model	GEMPC09-6K-OP	bar light 9 cm White 6000K Opaline cover 280Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 79,00	Base model short delivery times Request a sample for your tests 					
	GEMPC09-6K-T	bar light 9 cm White 6000K Transparent cover 280Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 79,00						
	GEMPC18-6K-OP	bar light 18 cm White 6000K Opaline cover 560Lm 170mA 4,0W 2Mt cable 2 Wires UL	€ 92,00						
	GEMPC18-6K-T	bar light 18 cm White 6000K Transparent cover 560Lm 170mA 4,0W 2Mt cable 2 Wires UL	€ 92,00						
	GEMPC25-6K-OP	bar light 25 cm White 6000K Opaline cover 840Lm 250mA 6,0W 2Mt cable 2 Wires UL	€ 121,00						
	GEMPC25-6K-T	bar light 25 cm White 6000K Transparent cover 840Lm 250mA 6,0W 2Mt cable 2 Wires UL	€ 121,00						
	GEMPC34-6K-OP	bar light 34 cm White 6000K Transparent cover 1200Lm 450mA 8W 2Mt cable 2 Wires UL	€ 152,00						
	GEMPC34-6K-T	bar light 34cm White 6000K Transparent cover 1200Lm 340mA 8W 2Mt cable 2 Wires UL	€ 152,00						
	GEMPC42-6K-OP	bar light 42 cm White 6000K Opaline cover 1430Lm 425mA 10,2W 2Mt cable 2 Wires UL	€ 182,00						
	GEMPC42-6K-T	bar light 42 cm White 6000K Transparent cover 1430Lm 425mA 10,2W 2Mt cable 2 Wires UL	€ 182,00						
	GEMPC50-6K-OP	bar light 50 cm White 6000K Opaline cover 1680Lm 500mA 12,0W 2Mt cable 2 Wires UL	€ 218,00						
	GEMPC50-6K-T	bar light 50 cm White 6000K Transparent cover 1680Lm 500mA 12,0W 2Mt cable 2 Wires UL	€ 218,00						
	GEMPC100-6K-OP	bar light 100 cm White 6000K Opaline cover 3360Lm 1000mA 24,0W 2Mt cable 2 Wires UL	€ 377,00						
	GEMPC100-6K-T	bar light 100 cm White 6000K Transparent cover 3360Lm 1000mA 24,0W 2Mt cable 2 Wires UL	€ 377,00						
	GEMPC200-6K-OP	bar light 200 cm White 6000K Opaline cover 6720Lm 2000mA 48,0W 2Mt cable 2 Wires UL	€ 636,00						
	GEMPC200-6K-T	bar light 200 cm White 6000K Transparent cover 6720Lm 2000mA 48,0W 2Mt cable 2 Wires UL	€ 636,00						
			GEMPC model 1-4 weeks delivery time						
GEMPC examples	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Supply connection	
	GEMPCXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW3	
	GEMPC18-6K-300-OP-M8S	bar light 18 cm White 6000K Opaline cover Strobe use 10% T-ON 2100 Lm 0,6A 14W 20cm cable M8 3P M+logic start UL	€ 129,00			-300 + 400% power		-M8S	
	GEMPC18-6K-L25-A	bar light 18 cm White 6000K 25° lens cover 560Lm 4W 2Mt 2P cable for food industry UL	€ 144,00				-L25	-A	
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	GEMPCXXX-YYY-CCC-XYZ	product reserved for customer XYZ							

GEMHR	Bar light	Configuration Guide 2026 page 17,18						
	Code	Description	Price list 2026					
GEMHR base model	GEMHR03-6K-70-OP	bar light 3 cm White 6000K Opaline cover 240Lm 70mA 1,7W 2Mt cable 2 Wires UL	€ 74,00	Base model short delivery times a sample for your tests Request				
	GEMHR03-6K-70-T	bar light 3 cm White 6000K Transparent cover 240Lm 70mA 1,7W 2Mt cable 2 Wires UL	€ 74,00					
	GEMHR05-6K-85-OP	bar light 5 cm White 6000K Opaline cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 75,00					
	GEMHR05-6K-85-T	bar light 5 cm White 6000K Transparent cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 75,00					
	GEMHR09-6K-T	bar light 9 cm White 6000K Opaline cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 76,00					
	GEMHR09-6K-OP	bar light 9 cm White 6000K Transparent cover 300Lm 85mA 2,0W 2Mt cable 2 Wires UL	€ 76,00					
	GEMHR18-6K-OP	bar light 18 cm White 6000K Opaline cover 810Lm 230mA 5,4W 2Mt cable 2 Wires UL	€ 80,00					
	GEMHR18-6K-T	bar light 18 cm White 6000K Transparent cover 810Lm 230mA 5,4W 2Mt cable 2 Wires UL	€ 80,00					
	GEMHR25-6K-OP	bar light 25 cm White 6000K Opaline cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 91,00					
	GEMHR25-6K-T	bar light 25 cm White 6000K Transparent cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 91,00					
	GEMHR34-6K-OP	bar light 34 cm White 6000K Opaline cover 1620Lm 450mA 10,8W 2Mt cable 2 Wires UL	€ 113,00					
	GEMHR34-6K-T	bar light 34 cm White 6000K Transparent cover 1620Lm 450mA 10,8W 2Mt cable 2 Wires UL	€ 113,00					
	GEMHR42-6K-OP	bar light 42 cm White 6000K Opaline cover 2055Lm 570mA 13,7W 2Mt cable 2 Wires UL	€ 131,00					
	GEMHR42-6K-T	bar light 42 cm White 6000K Transparent cover 2055Lm 570mA 13,7W 2Mt cable 2 Wires UL	€ 131,00					
	GEMHR50-6K-OP	bar light 50 cm White 6000K Opaline cover 2460Lm 680mA 16,3W 2Mt cable 2 Wires UL	€ 155,00					
	GEMHR50-6K-T	bar light 50 cm White 6000K Transparent cover 2460Lm 680mA 16,3W 2Mt cable 2 Wires UL	€ 155,00					
	GEMHR100-6K-OP	bar light 100 cm White 6000K Opaline cover 4920Lm 1360mA 32,8W 2Mt cable 2 Wires UL	€ 296,00					
	GEMHR100-6K-T	bar light 100 cm White 6000K Transparent cover 4920Lm 1360mA 32,8W 2Mt cable 2 Wires UL	€ 296,00					
	GEMHR200-6K-OP	bar light 200 cm White 6000K Opaline cover 9840Lm 2720mA 65,6W 2Mt cable 2 Wires UL	€ 533,00					
	GEMHR200-6K-T	bar light 200 cm White 6000K Transparent cover 9840Lm 2720mA 65,6W 2Mt cable 2 Wires UL	€ 533,00					
				GEMHR model 1-4 weeks delivery time				
GEMHR examples	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Supply connection
	GEMXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW3
	GEMHR05-6K-85-V-M8S	bar light 5 cm White 6000K Glass transparent cover 300Lm 85 mA 2W 20 cm cable M8 3P M + logic start UL	€ 98,00				-V	-M8S
	GEMHR18-6K-OP-M8S	bar light 18 cm White 6000K Opaline cover 810Lm 230mA 5,4W 20 cm cable M8 3P M + logic start UL	€ 95,00					-M8S
	GEMHR25-4K-OP	bar light 25 cm White 4000K Opaline cover 1230Lm 340mA 8,2W 2Mt cable 2 Wires UL	€ 91,00		White 4000K			
	GEMHR34-4K-300-OP-M8S	bar light 34 cm White 4000K Opaline cover 4200Lm Strobe use 10% T-ON 1,2A 28W 20 cm cable M8 3P M + logic start UL	€ 154,00	34cm	White 4000K	-300 + 400% power		-M8S
	GEMHR50-365-250-T	bar light 50 cm UV365nm Transparent cover GE472 18 led 45° led CUN66B 750mA 18W 2Mt cable 2 Wires UL	€ 466,00		UV 365nm	-250mA/led		
	GEMHR100-365-250-T	bar light 100 cm UV365nm Transparent cover GE472 36 led 45° led CUN66B 1,5A 36W 2Mt cable 2 Wires UL	€ 887,00		UV 365nm	-250mA/led		
	GEMHR180-4K-RA10-T	bar light 180 cm White 4000K Transparent cover 9450Lm 2,66 A 64W analog regulation 0-10V 2Mt cable 3 Wires UL	€ 789,00	180cm		-RA10		
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it								
Example :			GEMHRXXX-YYY-CCC-XYZ	product reserved for customer XYZ				



GEVA		Bar light	Configuration Guide 2026 page 19,20						
	Code	Description	Price list 2026						
GEVA base model	GEVA09-6K-OP	bar light 09 cm White 6000K Opaline cover 765Lm 230mA 5,4W 2Mt cable 2 Wires	€ 103,00	Base model short delivery times Request a sample for your tests					
	GEVA09-6K-T	bar light 09 cm White 6000K Transparent frosted cover 765Lm 230mA 5,4W 2Mt cable 2 Wires	€ 103,00						
	GEVA18-6K-OP	bar light 18 cm White 6000K Opaline cover 1530Lm 460mA 11,1W 2Mt cable 2 Wires	€ 152,00						
	GEVA18-6K-T	bar light 18 cm White 6000K Transparent frosted cover 1530Lm 460mA 11,1W 2Mt cable 2 Wires	€ 152,00						
	GEVA25-6K-OP	bar light 25 cm White 6000K Opaline cover 2300Lm 680mA 16,4W 2Mt cable 2 Wires	€ 202,00						
	GEVA25-6K-T	bar light 25 cm White 6000K Transparent frosted cover 2300Lm 680mA 16,4W 2Mt cable 2 Wires	€ 202,00						
	GEVA34-6K-OP	bar light 34 cm White 6000K Opaline cover 3700Lm 910mA 22W 2Mt cable 2 Wires	€ 225,00						
	GEVA34-6K-T	bar light 34 cm White 6000K Transparent frosted cover 3700Lm 910mA 22W 2Mt cable 2 Wires	€ 225,00						
	GEVA42-6K-OP	bar light 42cm White 6000K Opaline cover 3800Lm 1140mA 27,4W 2Mt cable 2 Wires	€ 240,00						
	GEVA42-6K-T	bar light 42cm White 6000K Transparent frosted cover 3800Lm 1140mA 27,4W 2Mt cable 2 Wires	€ 240,00						
	GEVA60-6K-OP	bar light 60 cm White 6000K Opaline cover 5300Lm 1590mA 38,2W 2Mt cable 2 Wires	€ 299,00						
	GEVA60-6K-T	bar light 60 cm White 6000K Transparent frosted cover 5300Lm 1590mA 38,2W 2Mt cable 2 Wires	€ 299,00						
	GEVA120-6K-OP	bar light 120 cm White 6000K Opaline cover 10700Lm 3180mA 76,5W 2Mt cable 2 Wires	€ 590,00						
	GEVA120-6K-T	bar light 120 cm White 6000K Trasparent frosted cover 10700Lm 3180mA 76,5W 2Mt cable 2 Wires	€ 590,00						
				GEVA model 1-4 weeks delivery time					
GEVA examples	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Supply connection	
	GEVAXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW2	
	GEVA25-625-OP-S	bar light 25cm Red 625nm Opaline cover 910 mA 21,8 W 2Mt cable 3 Wires + Start	€ 290,00		Red 625nm				-S
	GEVA42-850-70-OP	bar light 42cm IR 850nm Opaline cover 700 mA 16 W 2Mt cable 2 Wires	€ 312,00		IR 850nm	-70mA/led			
	GEVA60-6K-3HD-OPP-S	bar light 60cm White 6000K Opaline cover + pol. filter 25000Lm Strobe use 10% T-ON 7,2 A, 172W 2Mt cable 3 Wires + Start	€ 565,00			-3HD	-OPP		-S
	GEVA140-524-OP	bar light 140cm Green 524nm Opaline cover 3,84 A, 92 W 2Mt cable 2 Wires	€ 936,00	140cm	Green 524nm				
			€ 885,00	180cm					
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :			GEVAXXX-YYY-CCC-XYZ product reserved for customer XYZ						

GP- GENESI POWER BAR

If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it

Example :	GPXXX-YYY-XYZ	product reserved for customer XYZ
-----------	---------------	-----------------------------------

GP accessory	GP-FIX	GP fixing Kit (2 pz)	€	36,00			
	GP-FIX-R	rotating GP fixing Kit (2 pz)	€	50,00			
	GP-R12	auxiliary heat radiator for GP12 (to work 100% semi-continuous mode)	€	28,00			
	GP-R23	auxiliary heat radiator for GP23 (to work 100% semi-continuous mode)	€	38,00			
	GP-R36	auxiliary heat radiator for GP36 (to work 100% semi-continuous mode)	€	48,00			
	GP-R46	auxiliary heat radiator for GP46 (to work 100% semi-continuous mode)	€	60,00			
	GP-R56	auxiliary heat radiator for GP56 (to work 100% semi-continuous mode)	€	72,00			
	GP-R66	auxiliary heat radiator for GP66 (to work 100% semi-continuous mode)	€	84,00			

GEVX	Power bar light	Configuration Guide 2026 page 25,26							
	Code	Description	Price list 2026						
GEVX base model	GEVX06-6K-UD	power bar 6 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 500Lm 140mA 3,4W 2Mt cable 2 Wires	€ 190,00	Base model short delivery times Request a sample for your tests					
	GEVX10-6K-UD	power bar 10cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 1000Lm 280mA 6,7W 2Mt cable 2 Wires	€ 240,00						
	GEVX16-6K-UD	power bar 16cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 1750Lm 490mA 12W 2Mt cable 2 Wires	€ 280,00						
	GEVX20-6K-UD	power bar 20cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 2000Lm 560mA 13,4W 2Mt cable 2 Wires	€ 310,00						
	GEVX28-6K-UD	power bar 28cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 3000Lm 0.84A 20W 2Mt cable 2 Wires	€ 340,00						
	GEVX34-6K-UD	power bar 34 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 3800Lm 1,05A 25W 2Mt cable 2 Wires	€ 370,00						
	GEVX42-6K-UD	power bar 42 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 5000Lm 1,33A 33,6W 2Mt cable 2 Wires	€ 400,00						
	GEVX50-6K-UD	power bar 50 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 6000Lm 1,61A 40,3W 2Mt cable 2 Wires	€ 440,00						
	GEVX60-6K-UD	power bar 60 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 7050Lm 1,96A 47W 2Mt cable 2 Wires	€ 470,00						
	GEVX100-6K-UD	power bar 100 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 12300Lm 3,36A 82,3W 2Mt cable 2 Wires	€ 860,00						
	GEVX150-6K-UD	power bar 150 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 18400Lm 5,11A 122,6W 2Mt cable 2 Wires	€ 1.280,00						
	GEVX200-6K-UD	power bar 200 cm White 6000K 5° Lens cover -UD CS GE411 70mA per led 24600Lm 6,86A 166,3W 2Mt cable 2 Wires	€ 1.640,00						
			GEVX model 1-4 weeks delivery time						
GEVX examples	Code	Combine the variables to find your solution		Length XXX	Led colour YYY	Power CCC	Cover variants WW1	Supply connection WW2	
	GEVXXX-YYY-CCC-WW								
	GEVX10-365-160-M12S	power bar 10cm UV365 nm 5° Lens cover CS GE403 160mA per led 320 mA 7,8W cable M12 5P M + logic start	€ 645,00		UV365nm	-160		-M12S	
	GEVX10-6K-XD-L20-M12	power bar 10cm White 6000K 20° lenses CS GE534 7200Lm 0,3 A 7,2 W 20cm cable M12 5P M	€ 306,00			-XD (300mA)	-L20	-M12	
	GEVX10-6K-YD-L20-M12S	power bar 10cm White 6000K 20° lenses CS GE534 7200Lm 2 A 48 W Strobe use 10% T-ON 20cm cable M12 5P M + logic start	€ 332,00			-YD (2A)	-L20	-M12S	
	GEVX28-850-70	power bar 28cm IR850 nm 5° Lens cover CS GE442 70mA per led 210mA 5W 2Mt cable 2 Wires	€ 470,00		IR 850nm	-70			
	GEVX30-365-T65-M12S	power bar 30cm UV365 nm 5° Lens cover CS GE403 160mA per led 1,12 A 27W IP65 cable M12 5P M + logic start	€ 1.082,00	30cm	UV365nm		-T65 (IP65)	-M12S	
	GEVX36-6K-L20-M12S	power bar 36cm White 6000K 20° lenses CS GE472 500mA per led 3600Lm 1 A 24 W 20cm cable M12 5P M + logic start	€ 420,00	36cm			-L20	-M12S	
	GEVX60-365-160-M12S	power bar 60cm led UV365 nm 5° Lens cover CS GE403 160mA per led 2,24A 54W 20cm cable M12 5P M + logic start	€ 1.880,00		UV365nm	-160		-M12S	
	GEVX66-625-ML-M12S	power bar 66cm led Red 625nm 12° multi-Lens (4°-45°) cover CS GE490 2,0A 48W 20cm cable M12 5P M + logic start	€ 720,00	66cm	Red 625nm		-ML	-M12S	
	GEVX92-6K-365-S	power bar 92cm 2 channels White 6000W+ UV365nm 5° Lens cover CS GE467 6,05 A 145W 2Mt cable 4P + 2 logic start	€ 1.340,00	92cm	2CH -6K -365			-S	
	GEVX100-6K-L40-M12S	power bar 100cm White 6000K 40° lenses CS GE472 500mA per led 10800Lm 3 A 72W 20cm cable M12 5P M + logic start	€ 876,00				-L40	-M12S	
	GEVX100-6K-2A-L40-M12S	power bar 100cm White 6000K 40° lenses CS GE472 2A per led 12 A 288W Strobe use 10% T-ON 20cm cable M12 5P M + logic start	€ 1.280,00			-2A strobe use	-L40	-M12S	
	GEVX124-6K-850-S	power bar 124cm 2 channels White 6000K+IR850nm 5° Lens cover SC GE442 7 A 137W 2Mt cable 4P + 2 logic start	€ 1.680,00	124cm	2CH -6K -850			-S	
	GEVX140-6K-UD-S	power bar 140cm led 6000K 5° Lens cover -UD CS GE411 70mA per led 15700Lm 4,76A 105 W 2Mt cable 3 poles	€ 1.130,00	140cm				-S	
	GEVX164-12-15-M12S	power bar 164cm 2 channels led 1200nm +1550nm 5° Lens cover CS GE530 2,88 A 69 W 20cm cable M12 5P M + 2 logic start	€ 4.800,00	164cm	2CH -12 -15			-M12S	
	GEVX180-6K-UD	power bar 180cm led 6000K 5° Lens cover -UD CS GE411 70mA per led 22000Lm 6,16 , 147 W, 2Mt cable 2 Wires	€ 1.480,00	180cm					
	GEVX222-6K-HD-M12S	power bar 222cm led 6000K 5° Lens cover -HD CS GE340 85mA per led 14300Lm 4 A 95 W 20cm cable M12 5P M + logic start	€ 1.580,00	222cm		-HD		-M12S	
	GEVX240-625-UD	power bar 240cm Red 625nm 5° Lens cover -UD CS GE411 70mA per led 8,26A198 W continuous use 2Mt 2 cables 2 Wires	€ 2.350,00	240cm	Red 625nm	-UD			
	GEVX360-450-220-L20	power bar 360cm BLUE 450nm 20° lenses CS GE472 220mA per led 4,84 A116 W continuous use 2Mt 2 cables 2 Wires	€ 3.800,00	360cm	BLUE 450nm	-220	-L20		
	GEVX440-6K-HD	power bar 440cm White 6000K 5° lenses CS GE340 29000Lm 85mA per led 8,00 A 192 W continuous use 2Mt 2 cables 2 Wires	€ 3.260,00	440cm		-HD			
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	GEVXXXX-YYY-CCC-XYZ	product reserved for customer XYZ							

GEVXB	Power bar light	Configuration Guide 2026 page 27,28						
	Code	Description	Price list 2026					
GEVXB base model	GEVXB06-6K-UD	power backlight 6 cm White 6000K satin cover -UD CS GE411 70mA per led 500Lm 140mA 3,4W 2Mt cable 2 Wires	€ 180,00	Base model short delivery times Request a sample for your tests				
	GEVXB10-6K-UD	power backlight 10 cm White 6000K satin cover -UD CS GE411 70mA per led 1000Lm 280mA 6,7W 2Mt cable 2 Wires	€ 230,00					
	GEVXB16-6K-UD	power backlight 16cm White 6000K satin cover -UD CS GE411 70mA per led 1750Lm 490mA 12W 2Mt cable 2 Wires	€ 270,00					
	GEVXB20-6K-UD	power backlight 20 cm White 6000K satin cover -UD CS GE411 70mA per led 2000Lm 560mA 13,4W 2Mt cable 2 Wires	€ 300,00					
	GEVXB28-6K-UD	power backlight 28 cm White 6000K satin cover -UD CS GE411 70mA per led 3000Lm 0,84A 20W 2Mt cable 2 Wires	€ 340,00					
	GEVXB34-6K-UD	power backlight 34 cm White 6000K satin cover -UD CS GE411 70mA per led 3800Lm 1,05A 25W 2Mt cable 2 Wires	€ 360,00					
	GEVXB42-6K-UD	power backlight 42 cm White 6000K satin cover -UD CS GE411 70mA per led 5000Lm 1,33A 33,6W 2Mt cable 2 Wires	€ 390,00					
	GEVXB50-6K-UD	power backlight 50 cm White 6000K satin cover -UD CS GE411 70mA per led 6000Lm 1,61A 40,3W 2Mt cable 2 Wires	€ 430,00					
	GEVXB60-6K-UD	power backlight 60 cm White 6000K satin cover -UD CS GE411 70mA per led 7050Lm 1,96A 47W 2Mt cable 2 Wires	€ 460,00					
	GEVXB100-6K-UD	power backlight 100 cm White 6000K satin cover -UD CS GE411 70mA per led 12300Lm 3,36A 82,3W 2Mt cable 2 Wires	€ 840,00					
	GEVXB150-6K-UD	power backlight 150 cm White 6000K satin cover -UD CS GE411 70mA per led 18400Lm 5,11A 122,6W 2Mt cable 2 Wires	€ 1.240,00					
	GEVXB200-6K-UD	power backlight 200 cm White 6000K satin cover -UD CS GE411 70mA per led 24600Lm 6,86A 166,3W 2Mt cable 2 Wires	€ 1.600,00					
			GEVXB model 1-4 weeks delivery time					
GEVXB examples	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Supply connection
	GEVXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW2
	GEVXB10-365-160	power backlight 10 cm led UV365nm satin cover CS GE403B 0,32A 7W 2Mt cable 2 Wires	€ 625,00		UV365nm	-160		
	GEVXB24-850-70	power backlight 24 cm led IR 850nm satin cover CS GE366 0,35 A 8W 2Mt cable 2 Wires	€ 364,00	24cm	IR 850nm	-70		
	GEVXB50-6K-UD-M8S	power backlight 50 cm led White 6000K satin cover -UD CS GE411 70mA per led 6000Lm 1,6 A 40,3W 20cm cable M8 3P M + logic start	€ 395,00					-M8S
	GEVXB50-365-250-IP65	power backlight 50 cm led UV365nm satin cover CS GE467 1,8A 43W IP65 2Mt cable 2 Wires	€ 1.025,00		UV365nm	-250	-IP65	
	GEVX124-6K-950-S	power backlight 124cm 2 channels White 6000K+IR950nm + satin cover 5,7 A, CS GE442 137W 2Mt cable 4P + 2 logic start	€ 1.680,00	124cm	2CH -6K -950			-M12S
	GEVXB140-850-70	power backlight 140 cm led IR 850nm satin cover SC GE366 2,38 A 57W 2Mt cable 2 Wires	€ 1.400,00	140cm	IR 850nm	-70		
	GEVXB164-13-15-M12S	power backlight 164cm 2 channels led 1300/1550nm satin cover CS GE530 2,88 A,69 W, 20cm cable M12 5P M + 2 logic start	€ 4.800,00	164cm	2CH -13 -15			-M12S
	GEVXB252-4K-HD	power backlight 252 cm led White 4000K satin cover -HD CS GE340 85mA per led 32400Lm 4,5 A 108W cable 2 Mt 2 Wires	€ 1.840,00	252 cm	White 4000K	-HD		
	GEVXB300-6K-UD	power backlight 300 cm led White 6000K satin cover -UD CS GE411 70mA per led 37200Lm 10,4 A 248W 2 cable 2 Mt 2 Wires	€ 2.175,00	300cm				2 cables
	GEVXB350-625-500-IP65	power backlight 350 cm led RED 625nm satin cover CS GE490 500mA per led 10,5 A 252W IP65 2 cable 2Mt 2 Wires	€ 3.550,00	350cm	Red 625nm	-500	-IP65	2 cables
	GEVXB500-4K-HD	power backlight 500 cm led White 4000K satin cover -HD CS GE340 85mA per led 32400Lm 9,0 A 216W 2 cable 2 Mt 2 Wires	€ 3.800,00	500cm	White 4000K	-HD		2 cables
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it								
Example :	GEVXXX-YYY-CCC-XYZ	product reserved for customer XYZ						

GEVXD	Power bar light	Configuration Guide 2026 page 29,30							
1-4 channel power bar									
	Code	Description	Price list 2026						
GEVXD base model	GEVXD20-12-1A-L	power bar 1 channel 20cm SWIR 1200nm 5° Lens cover 0,3A 7,2W 20cm cable M12 5P M + logic start	€ 1.360,00	Base model short delivery times Request a sample for your tests					
	GEVXD20-14-1A-M	power bar 1 channel 20cm SWIR 1200nm transparent cover 0,3A 7,2W 20cm cable M12 5P M + logic start	€ 1.360,00						
	GEVXD20-1315-1A-L	power bar 2 channels 20cm SWIR 20cm 1300-1550nm 5° Lens cover 0,6A 14,4W 20cm cable M12 5P M + 2 logic start	€ 1.580,00						
	GEVXD20-1315-1A-M	power bar 2 channels 20cm SWIR 20cm 1300-1550nm transparent cover 0,6A 14,4W 20cm cable M12 5P M + 2 logic start	€ 1.580,00						
	GEVXD20-12131415-1A-L	power bar 4 channels 20cm SWIR 20cm 1200-1300-1450-1550nm 5° Lens cover 1,2A 29W 20cm cable M12 8P M + 4 logic start	€ 2.020,00						
	GEVXD20-12131415-1A-M	power bar 4 channels 20cm SWIR 20cm 1200-1300-1450-1550nm transparent cover 1,2A 29W 20cm cable M12 8P M + 4 logic start	€ 2.020,00						
	GEVXD36-6KRGB-1A-L	power bar 4 channels 36 cm VIS-RGB 6000K-RED-GREEN-BLUE 5° Lens cover 4,8A 115W pover cable 2Mt & 20cm cable M12 8P M + 4 logic start	€ 760,00						
	GEVXD52-6K15-1A-L	power bar 2 channels 52 cm VIS-SWIR 6000K-1550nm 5° Lens cover 3A 72W 20cm cable M12 5P M + 2 logic start	€ 2.560,00						
	GEVXD52-6K15-1A-M	power bar 2 channels 52 cm VIS-SWIR 6000K-1550nm transparent cover 3A 72W 20cm cable M12 5P M + 2 logic start	€ 2.560,00						
	GEVXD52-121415-1A-L	power bar 3 channels 52 cm SWIR 1200-1450-1550nm 5° Lens cover 2,7A 65W 20cm cable M12 5P M + 3 logic start	€ 3.200,00						
	GEVXD84-12131415-1A-L	power bar 4 channels 84cm SWIR 1200-1300-1450-1550nm 5° Lens cover 6A 144W pover cable 2Mt & 20cm cable M12 8P M + 4 logic start	€ 5.800,00						
	GEVXD84-12131415-1A-M	power bar 4 channels 84cm SWIR 1200-1300-1450-1550nm transparent cover 6A 144W pover cable 2Mt & 20cm cable M12 8P M + 4 logic start	€ 5.800,00						
			GEVXD model 1-4 weeks delivery time						
GEVXD examples	Code	Combine the variables to find your solution		Length	Led colour	Power	Cover variants	Supply connection	
	GEVXDXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW2	
	GEVXD36-12-1A-L	power bar 1 channel 36cm SWIR 20cm 1200nm 5° Lens cover 0,6A 14,4W 20cm cable M12 5P M + 1 logic start	€ 1.655,00	36cm	-12				
	GEVXD36-12131415-1A-L	power bar 4 channels 36cm SWIR 20cm 1200-1300-1450-1550nm 5° Lens cover 2,4A 58W 20cm cable M12 8P M + 4 logic start	€ 2.970,00	36cm	-12131415				
	GEVXD52-6K1313-1A-L	power bar 3 channels 52cm VIS-SWIR 6000K-1300-1300nm 5° Lens cover 3,6A 86W 20cm cable M12 5P M + 2 logic start	€ 2.770,00	52cm	-6K1313				
	GEVXD68-6K101213-1A-L	power bar 4 channels 68cm VIS-SWIR 6000K-1050-1200-1300nm 5° Lens cover 6A 144W pover cable 2Mt & 20cm cable M12 8P M + 4 logic start	€ 4.400,00	68cm	-6K101213				
	GEVXD84-850-15-1A-ST	power bar 2 channels 84cm IR-SWIR IR850nm-1550nm Satin cover 3,5A 84W 20cm cable M12 5P M + 2 logic start	€ 3.550,00	84cm	-850-15		-ST		
	GEVXD100-1313-1A-OP	power bar 2 channels 100cm 1300-1300nm Opaline cover 3,6A 86W 20cm cable M12 5P M + 2 logic start	€ 4.050,00	100cm	-1313		-OP		
	GEVXD180-1515-1A-L	power bar 2 channels 180cm 1550-1550nm 5° Lens cover 6,48A 155W 20cm cable M12 5P M + 2 logic start	€ 6.600,00	180cm	-1515				
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	GEVXDXXX-YYY-CCC-XYZ	product reserved for customer XYZ							

GEST	Ring light	Configuration Guide 2026 page 31,32						
	Code	Description	Price list 2026					
GEST base model	GEST42-6K	ring light 42mm diameter White 6000K no cover IP20 540Lm 150mA 3,6W 2Mt cable 2 Wires	€ 185,00	GEST model short delivery times Request a sample for your tests				
	GEST74-6K	ring light 74mm diameter White 6000K no cover IP20 1080Lm 300mA 7,2W 2Mt cable 2 Wires	€ 242,00					
	GEST120-6K	ring light 120mm diameter White 6000K no cover IP20 3000Lm 800mA 20W 2Mt cable 2 Wires	€ 407,00					
GEST base model	GEST44-6K-T	ring light 44mm diameter White 6000K Transparent cover IP65 540Lm 150mA 3,6W 2Mt cable 2 Wires	€ 212,00					
	GEST44-6K-OP	ring light 44mm diameter White 6000K Opaline cover IP65 540Lm 150mA 3,6W 2Mt cable 2 Wires	€ 212,00					
	GEST76-6K-T	ring light 76mm diameter White 6000K Transparent cover IP65 1080Lm 300mA 7,2W 2Mt cable 2 Wires	€ 275,00					
	GEST76-6K-OP	ring light 76mm diameter White 6000K Opaline cover IP65 1080Lm 300mA 7,2W 2Mt cable 2 Wires	€ 275,00					
	GEST122-6K-T	ring light 122mm diameter White 6000K Transparent cover IP65 3000Lm 800mA 20W 2Mt cable 2 Wires	€ 445,00					
	GEST122-6K-OP	ring light 122mm diameter White 6000K Opaline cover IP65 3000Lm 800mA 20W 2Mt cable 2 Wires	€ 445,00					
GEST base model	GEST76-6K-L20	ring light 76mm diameter White 6000K 20° Lens cover 1080Lm 300mA 7,2W 2Mt cable 2 Wires	€ 375,00					
	GEST76-6K-L40	ring light 76mm diameter White 6000K 40° Lens cover 1080Lm 300mA 7,2W 2Mt cable 2 Wires	€ 375,00					
	GEST100-6K-L20	ring light 100mm diameter White 6000K 20° Lens cover 1800Lm 500mA 12W 2Mt cable 2 Wires	€ 640,00					
	GEST100-6K-L40	ring light 100mm diameter White 6000K 40° Lens cover 1800Lm 500mA 12W 2Mt cable 2 Wires	€ 640,00					
			GEST model 1-4 weeks delivery time					
GEST examples	Code	Combine the variables to find your solution		Diameter	Led colour	Power	Cover variants	Supply connection
	GESTXXX-YYY-CCC-WW			XXX	YYY	CCC	WW1	WW2
	GEST42-6K-M8	ring light 42mm diameter no cover IP20 White 6000K 540Lm 150 mA 3,6W 20 cm cable M8 3 poles	€ 194,00					-M8
	GEST42-625-M8	ring light 42mm diameter no cover IP20 Red 625nm 150 mA 3,6W 20 cm cable M8 3 poles	€ 252,00		Red 625nm			-M8
	GEST42-850-M8	ring light 42mm diameter no cover IP20 IR 850nm 150 mA 3,6W 20 cm cable M8 3 poles	€ 252,00					
	GEST44-470-30-OP	ring light 44mm diameter opaline IP65 cover Blue 470nm 30mA per led 100 mA 2,4W 2Mt cable 2 Wires	€ 275,00		Blue 470nm	-30		
	GEST76-6K-OP-M8S	ring light 76mm diameter White 6000K Opaline cover IP65 1080Lm 300mA 7,2W 20cm M8 3 poles +start	€ 290,00					-M8S
	GEST100-6K-OP-M8S	ring light 100mm diameter White 6000K Opaline cover IP65 1800Lm 500mA 12W 20cm M8 3 poles +start	€ 560,00				-OP	-M8S
			€ 1.050,00		UV365nm	-1A		-M12S
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it								
Example :	GESTXXX-YYY-CCC-XYZ	product reserved for customer XYZ						

BLUE LINE																			
GEST MEGA-RING	Ring light Code	Configuration Guide 2026 page 33,34 Description			Price list 2026														
GEST MEGA-RING base model	GEST99-6K-T	Mega-Ring light 4 Driving Modes 99 mm diameter White 6000K transparent cover 1350/6000Lm 0,4/1,7A 9/40W 20cm cable M12 M 5P	€	550,00	Base model short delivery times Request a sample for your tests Internal controller with 4 Driving modes 1 100% Continuous use 2 200% Semi-continuous use 3 400% Strobe use 4 10-100% Analog Reg. M12 5P Male Connector <table><tr><td>Pin 1</td><td>+24V</td></tr><tr><td>Pin 2</td><td>Start NPN < 1 to OV</td></tr><tr><td>Pin 3</td><td>GND</td></tr><tr><td>Pin 4</td><td>Start PNP > 3 to 24V</td></tr><tr><td>Pin 5</td><td>1-10V Analog Reg.</td></tr></table>	Pin 1	+24V	Pin 2	Start NPN < 1 to OV	Pin 3	GND	Pin 4	Start PNP > 3 to 24V	Pin 5	1-10V Analog Reg.				
	Pin 1	+24V																	
	Pin 2	Start NPN < 1 to OV																	
	Pin 3	GND																	
	Pin 4	Start PNP > 3 to 24V																	
	Pin 5	1-10V Analog Reg.																	
	GEST99-6K-L10	Mega-Ring light 4 Driving Modes 99 mm diameter White 6000K 10° Lens transparent cover 1350/6000Lm 0,4/1,7A 9/40W 20cm cable M12 M 5P	€	550,00															
	GEST99-6K-L30	Mega-Ring light 4 Driving Modes 99 mm diameter White 6000K 30° Lens transparent cover 1350/6000Lm 0,4/1,7A 9/40W 20cm cable M12 M 5P	€	550,00															
	GEST130-6K-T	Mega-Ring light 4 Driving Modes 130 mm diameter White 6000K transparent cover 2200/11200Lm 0,62/3,15A 15/75W 20cm cable M12 M 5P	€	760,00															
	GEST130-6K-L10	Mega-Ring light 4 Driving Modes 130 mm diameter White 6000K 10° Lens transparent cover 2200/11200Lm 0,62/3,15A 15/75W 20cm cable M12 M 5P	€	760,00															
	GEST130-6K-L30	Mega-Ring light 4 Driving Modes 130 mm diameter White 6000K 30° Lens transparent cover 2200/11200Lm 0,62/3,15A 15/75W 20cm cable M12 M 5P	€	760,00															
	GEST200-6K-T	Mega-Ring light 4 Driving Modes 200 mm diameter White 6000K transparent cover 4500/22500Lm 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	1.290,00															
	GEST200-6K-L10	Mega-Ring light 4 Driving Modes 200 mm diameter White 6000K 10° Lens transparent cover 4500/22500Lm 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	1.290,00															
GEST200-6K-L30	Mega-Ring light 4 Driving Modes 200 mm diameter White 6000K 30° Lens transparent cover 4500/22500Lm 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	1.290,00																
GEST300-6K-L10-A10	Mega-Ring light 4 Driving Modes 300 mm White 6000K 10° Lens transparent cover 4500/22500Lm 10° Inclination angle 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	2.800,00																
GEST300-6K-L30-A10	Mega-Ring light 4 Driving Modes 300 mm White 6000K 30° Lens transparent cover 4500/22500Lm 10° Inclination angle 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	2.800,00																
GEST300-6K-L10-A25	Mega-Ring light 4 Driving Modes 300 mm White 6000K 10° Lens transparent cover 4500/22500Lm 25° Inclination angle 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	2.800,00																
GEST300-6K-L30-A25	Mega-Ring light 4 Driving Modes 300 mm White 6000K 30° Lens transparent cover 4500/22500Lm 25° Inclination angle 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	2.800,00																
GEST300-6K-L10-A50	Mega-Ring light 4 Driving Modes 300 mm White 6000K 10° Lens transparent cover 4500/22500Lm 50° Inclination angle 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	2.800,00																
GEST300-6K-L30-A50	Mega-Ring light 4 Driving Modes 300 mm White 6000K 30° Lens transparent cover 4500/22500Lm 50° Inclination angle 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	2.800,00																
					GEST Mega-Ring model 1-4 weeks delivery time														
GEST MEGA-RING examples	Code	Combine the variables to find your solution		Diameter XXX	Led colour YYY	Cover variants WW1	Custom version XYZ												
	GESTXXX-YYY-WW																		
	GEST130-625-T	Mega-Ring light 4 Driving Modes 130 mm diameter RED 625nm transparent cover 0,62/3,15A 15/75W 20cm cable M12 M 5P	€	912,00	Red 625nm														
	GEST130-450-T	Mega-Ring light 4 Driving Modes 130 mm diameter BLUE 450nm transparent cover 0,62/3,15A 15/75W 20cm cable M12 M 5P	€	990,00	BLUE 450nm														
	GEST130-365-45T	Mega-Ring light 4 Driving Modes 130 mm UV 365nm 45° Lens transparent cover 0,4/1,25A 10/30W 20cm cable M12 M 5P	€	1.140,00	UV 365nm														
	GEST130-1200-L30	Mega-Ring light 4 Driving Modes 130 mm SWIR 1200nm 30° Lens transparent cover 0,4/1,05A 10/25W 20cm cable M12 M 5P	€	1.520,00	IR 850nm														
	GEST200-6K-L30-PHS	Mega-Ring light 4 Driving Modes 200 mm White 6000K 30° Lens transparent cover 4500/22500Lm 1,25/6,25A 30/150W Photometric stereo 20cm cable M12 M 8P	€	1.790,00			-PHS												
	GEST200-524-T	Mega-Ring light 4 Driving Modes 200 mm Green 524nm transparent cover 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	1.677,00	Green 524nm														
	GEST200-850-L60	Mega-Ring light 4 Driving Modes 200 mm IR 850nm 60° Lens transparent cover 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	1.677,00	IR 850nm	L-60													
GEST200-1550-L30	Mega-Ring light 4 Driving Modes 200 mm SWIR 1550nm 30° Lens transparent cover 0,8/2,1A 20/50W 20cm cable M12 M 5P	€	2.580,00	SWIR 1550nm															
GEST300-625-L10-A25	Mega-Ring light 4 Driving Modes 300 mm RED 625nm 10° Lens transparent cover Inclination angle 25° 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	3.360,00	Red 625nm															
GEST365-6K-L30-A40	Mega-Ring light 4 Driving Modes 365 mm White 6000K 30° Lens transparent cover 4500/22500Lm Inclination angle 40° 1,25/6,25A 30/150W 20cm cable M12 M 5P	€	3.860,00	365mm		A40													
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it																			
Example :	GESTXXX-YYY-XYZ	product reserved for customer XYZ																	
GEST MEGA-RING accessory	GEST99-PX2-AP	99 mm Additional protection 2 mm transparent plexiglass + screws	€	40,00															
	GEST99-PX2-APF	99 mm Additional FULL protection for Camera and illuminator 2 mm transparent plexiglass + screws	€	44,00															
	GEST99-PX2-UV-AP	99 mm Additional protection 2 mm transparent plexiglass UV permeable + screws	€	44,00															
	GEST99-ST2-AP	99 mm Additional protection 2 mm satin plexiglass + screws	€	40,00															
	GEST99-OP2-AP	99 mm Additional protection 2 mm opaline plexiglass + screws	€	40,00															
	GEST99-PC2-AP	99 mm Additional protection 2 mm opaline polycarbonate + screws	€	42,00															
	GEST99-P-AP	99 mm Additional protection 2 mm transparent plexiglass + Polarizing Filter + screws (ONLY STROBE USE)	€	140,00															
	GEST99-PX8-AP	99 mm Additional protection IP67 8 mm transparent plexiglass + gaskets + screws	€	210,00															
	GEST130-PX2-AP	130 mm Additional protection 2 mm transparent plexiglass + screws	€	42,00															
	GEST130-PX2-APF	130 mm Additional FULL protection for Camera and illuminator 2 mm transparent plexiglass + screws	€	48,00															
	GEST130-PX2-UV-AP	130 mm Additional protection 2 mm transparent plexiglass UV permeable + screws	€	48,00															
	GEST130-ST2-AP	130 mm Additional protection 2 mm satin plexiglass + screws	€	42,00															
	GEST130-OP2-AP	130 mm Additional protection 2 mm opaline plexiglass + screws	€	42,00															
	GEST130-PC2-AP	130 mm Additional protection 2 mm opaline polycarbonate + screws	€	46,00															
	GEST130-P-AP	130 mm Additional protection 2 mm transparent plexiglass + Polarizing Filter + screws (ONLY STROBE USE)	€	170,00															
	GEST130-PX8-AP	130 mm Additional protection IP67 8 mm transparent plexiglass + gaskets + screws	€	270,00															
	GEST200-PX2-AP	200 mm Additional protection 2 mm transparent plexiglass + screws	€	50,00															
	GEST200-PX2-APF	200 mm Additional FULL protection for Camera and illuminator 2 mm transparent plexiglass + screws	€	60,00															
	GEST200-PX2-UV-AP	200 mm Additional protection 2 mm transparent plexiglass UV permeable + screws	€	60,00															
	GEST200-ST2-AP	200 mm Additional protection 2 mm satin plexiglass + screws	€	50,00															
	GEST200-OP2-AP	200 mm Additional protection 2 mm opaline plexiglass + screws	€	50,00															
	GEST200-PC2-AP	200 mm Additional protection 2 mm opaline polycarbonate + screws	€	56,00															
	GEST200-P-AP	200 mm Additional protection 2 mm transparent plexiglass + Polarizing Filter + screws (ONLY STROBE USE)	€	240,00															
GEST200-PX8-AP	200 mm Additional protection IP67 8 mm transparent plexiglass + gaskets + screws	€	420,00																

	GEST300-PX2-AP	300 mm Additional protection 2 mm transparent plexiglass + screws	€	60,00				
	GEST300-PX2-APF	300 mm Additional FULL protection for Camera and illuminator 2 mm transparent plexiglass + screws	€	48,00				
	GEST300-PX2-UV-AP	300 mm Additional protection 2 mm transparent plexiglass UV permeable + screws	€	74,00				
	GEST300-ST2-AP	300 mm Additional protection 2 mm satin plexiglass + screws	€	60,00				
	GEST300-OP2-AP	300 mm Additional protection 2 mm opaline plexiglass + screws	€	60,00				
	GEST300-PC2-AP	300 mm Additional protection 2 mm opaline polycarbonate + screws	€	70,00				
	GEST300-P-AP	300 mm Additional protection 2 mm transparent plexiglass + Polarizing Filter + screws (ONLY STROBE USE)	€	360,00				
	GEST300-PX8-AP	300 mm Additional protection IP67 8 mm transparent plexiglass + gaskets + screws	€	840,00				


GES	Spot light	Configuration Guide 2026 page 35,36				
	Code	Description	Price list 2026			
GES base model	GES40-6K-T	Spot light 40mm diameter White 6000K 120° transparent cover 450Lm 0,175A 4W 2Mt cable 2 Wires	€ 215,00	Base model short delivery times Request a sample for your tests		
	GES40-6K-L10-T	Spot light 40mm diameter White 6000K 10° Lens transparent cover 450Lm 0,175A 4W 2Mt cable 2 Wires	€ 215,00			
	GES40-6K-L30-T	Spot light 40mm diameter White 6000K 30° Lens transparent cover 450Lm 0,175A 4W 2Mt cable 2 Wires	€ 215,00			
	GES40-6K-L60-T	Spot light 40mm diameter White 6000K 60° Lens transparent cover 450Lm 0,175A 4W 2Mt cable 2 Wires	€ 215,00			
	GES50-6K-T	Spot light 50mm diameter White 6000K 120° transparent cover 900Lm 0,25A 6W 2Mt cable 2 Wires	€ 310,00			
	GES50-6K-L20-T	Spot light 50mm diameter White 6000K 20° Lens transparent cover 900Lm 0,25A 6W 2Mt cable 2 Wires	€ 310,00			
	GES50-6K-L40-T	Spot light 50mm diameter White 6000K 40° Lens transparent cover 900Lm 0,25A 6W 2Mt cable 2 Wires	€ 310,00			
	GES70-6K-T	Spot light 70mm diameter White 6000K transparent cover 1800Lm 0,5A 12W 2Mt cable 2 Wires	€ 430,00			
	GES70-6K-L20-T	Spot light 70mm diameter White 6000K 20° Lens transparent cover 1800Lm 0,5A 12W 2Mt cable 2 Wires	€ 430,00			
	GES70-6K-L40-T	Spot light 70mm diameter White 6000K 40° Lens transparent cover 1800Lm 0,5A 12W 2Mt cable 2 Wires	€ 430,00			
	GES90-6K-T	Spot light 90mm diameter White 6000K transparent cover 3600Lm 1A 24W 2Mt cable 2 Wires	€ 590,00			
	GES90-6K-L20-T	Spot light 90mm diameter White 6000K 20° Lens transparent cover 3600Lm 1A 24W 2Mt cable 2 Wires	€ 590,00			
	GES90-6K-L40-T	Spot light 90mm diameter White 6000K 40° Lens transparent cover 3600Lm 1A 24W 2Mt cable 2 Wires	€ 590,00			
			GES model 1-4 weeks delivery time			
GES examples	Code	Combine the variables to find your solution		Diameter	Led colour	Cover variants
	GESXX-YYY-WW1-WW2			XX	YYY	WW1
	GES50-6K-L20-T-M12S	Spot light 50mm diameter White 6000K 20° Lens transparent cover 900Lm 0,25A 6W 20cm M12 cable 5 poles +start	€ 326,00			
	GES50-850-700-L20-M8S	Spot light 50mm diameter IR850nm 20° Lens Trans. cover 0,7A 17W Strobe use 10% T-ON 20cm cable M8 3P M + logic start	€ 560,00		IR 850nm	-700
	GES70-625-L20-T-M12	Spot light 70mm diameter Red 625nm 20° Lens transparent cover 500mA 12W 20cm M12 cable 5 poles	€ 570,00		Red 625nm	-M12
	GES90-6K-OP-M12S	Spot light 90mm diameter White 6000K 120° opaline cover 3600Lm 1A 24W M12 cable 5 poles +start	€ 606,00			-OP
	GES90-625-L20-T-M12	Spot light 90mm diameter Red 625nm 20° Lens transparent cover 1A 24W M12 cable 5 poles	€ 780,00		Red 625nm	-M12
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it						
Example :	GESXXXXYY-XYZ	product reserved for customer XYZ				

BLUE LINE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--


GERE	Backlight	Configuration Guide 2026 page 39,40							
	Code	Description	Price list 2026						
GERE base model	GERE1004-6K	backlight 10x4 cm White 6000K Opaline cover 8000 cd/m2 60mA 1,5W 2Mt cable 2 Wires	€ 147,00	Base model short delivery times Request a sample for your tests					
	GERE1007-6K	backlight 10x7 cm White 6000K Opaline cover 120mA 8000 cd/m2 3,0W 2Mt cable 2 Wires	€ 185,00						
	GERE1010-6K	backlight 10x10 cm White 6000K Opaline cover 180mA 8000 cd/m2 4,5W 2Mt cable 2 Wires	€ 240,00						
	GERE2010-6K	backlight 20x10 cm White 6000K Opaline cover 360mA 8000 cd/m2 8,5W 2Mt cable 2 Wires	€ 328,00						
	GERE3010-6K	backlight 30x10 cm White 6000K Opaline cover 540mA 8000 cd/m2 13,0W 2Mt cable 2 Wires	€ 368,00						
	GERE0520-6K	backlight 05x20 cm White 6000K Opaline cover 120mA 8000 cd/m2 3,0W 2Mt cable 2 Wires	€ 240,00						
	GERE2020-6K	backlight 20x20 cm White 6000K Opaline cover 720mA 8000 cd/m2 17,0W 2Mt cable 2 Wires	€ 420,00						
	GERE3020-6K	backlight 30x20 cm White 6000K Opaline cover 1080mA 8000 cd/m2 26,0W 2Mt cable 2 Wires	€ 520,00						
	GERE3030-6K	backlight 30x30 cm White 6000K Opaline cover 1080mA 8000 cd/m2 26,0W 2Mt cable 2 Wires	€ 600,00						
	GERE4030-6K	backlight 40x30 cm White 6000K Opaline cover 1560mA 8000 cd/m2 37,5W 2Mt cable 2 Wires	€ 670,00						
	GERE4040-6K	backlight 40x40 cm White 6000K Opaline cover 2080mA 8000 cd/m2 50,0W 2Mt cable 2 Wires	€ 760,00						
	GERE5020-6K	backlight 50x20 cm White 6000K Opaline cover 1280mA 8000 cd/m2 31,0W 2Mt cable 2 Wires	€ 610,00						
	GERE6020-6K	backlight 60x20 cm White 6000K Opaline cover 1520mA 8000 cd/m2 36,5W 2Mt cable 2 Wires	€ 720,00						
	GERE5050-6K	backlight 50x50 cm White 6000K Opaline cover 3200mA 8000 cd/m2 77W 2Mt cable 2 Wires	€ 1.130,00						
	GERE6060-6K	backlight 60x60 cm White 6000K Opaline cover 4560mA 8000 cd/m2 110W 2Mt cable 2 Wires	€ 1.550,00						
			GERE model 1-4 weeks delivery time						
GERE examples	Code	Combine the variables to find your solution		Length	Height	Led colour	Power	Cover variants	Supply connection
	GEREAABB-YYY-CCC-WW			AA	BB	YYY	CCC	WW1	WW2
	GERE2010-6K-M8	backlight 20x10 cm 6000K Opaline cover 360mA 8,5W 20cm M8 cable 3 poles	€ 337,00						-M8
	GERE2010-6K-T-M12S	backlight 20x10 cm 6000K Transparent cover 360mA 8,5W 20cm M12 cable + start	€ 344,00					-T	-M12S
	GERE2020-6K-50-T-M12S	backlight 20X20 cm 6000K Transparent cover 1,2A 28,8W semi continuous 50% 2Mt 20cm M12 cable 5P + start	€ 560,00				-50 semi continuous	-T	-M12S
	GERE3030-RGB-M12S	backlight 30X30 cm RGB Opaline cover 1,6 A 39W 20cm M12 cable + 3 start	€ 1.120,00			RGB			-M12S
	GERE4030-6K-OPC-5MS	backlight 40X30 cm 6000K Collimating filter + Opaline cover 1,5A 37,5W 5Mt cable 3 poles + start	€ 950,00					-OPC Collimating filter	-5MS
	GERE4040-6K-M8	backlight 40X40 cm 6000K Opaline cover 2,08A 50W 20cm M8 cable 3 poles	€ 769,00						-M8
	GERE4040-850-S	backlight 40x40 cm IR 850nm Opaline cover 2A 50W 2Mt cable 3 poles + start	€ 995,00			IR 850nm			-S
	GERE5030-6K	backlight 50x30 cm 6000K Opaline cover 1,8A 43W 2Mt cable 2 poles	€ 813,00	50cm	30cm				
	GERE5030-625-M12S	backlight 50x30 cm Red 625nm Opaline cover 1,8A 43W 2Mt 20cm M12 cable 5 poles + start	€ 970,00	50cm	30cm	Red 625nm			-M12S
	GERE5535-6K	backlight 55x35 cm 6000K Opaline cover 2,64A 63W 2Mt cable 2 poles	€ 1.015,00	55cm	35cm				
	GERE12080-6K-RA10	backlight 120x80 cm 6000K Opaline cover analog regulation 0-10V 13A 312W 2Mt cable 3 poles	€ 5.080,00	120cm	80cm		-RA10		
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	GEREAABB-YYY-XYZ	product reserved for customer XYZ							

GH	Backlight	Configuration Guide 2026 page 41,42							
	Code	Description	Price list 2026						
GH base model	GH29X24-6K	backlight 29x24mm h 12mm 6000K Opaline cover 90Lm 25mA 0,6W 2Mt cable 2 Wires	€ 280,00	Base model short delivery times Request a sample for your tests					
	GH50X36-6K	backlight 50x36 mm h 12mm 6000K Opaline cover 360Lm 100mA 2,4W 2Mt cable 2 Wires	€ 280,00						
	GH60X42-6K	backlight 60x42mm h 12mm 6000K Opaline cover 540Lm 150mA 3,6W 2Mt cable 2 Wires	€ 375,00						
	GH94X42-6K	backlight 94x42mm h 12mm 6000K Opaline cover 900Lm 250mA 6,0W 2Mt cable 2 Wires	€ 475,00						
	GH94X80-6K	backlight 94x80mm h 12mm 6000K Opaline cover 1800Lm 500mA 12,0W 2Mt cable 2 Wires	€ 850,00						
	GH124X116-6K	backlight 124x116 mm h 12mm 6000K Opaline cover 3700Lm 1050mA 25,2W 2Mt cable 2 Wires	€ 1.080,00						
GH base model	GH60X60-6K	backlight 60x60mm h 26mm White 6000K Opaline cover 580Lm 0,16A 4W 2Mt cable 2 Wires	€ 270,00						
	GH120X60-6K	backlight 120x60mm h 26mm White 6000K Opaline cover 1160Lm 0,32A 8W 2Mt cable 2 Wires	€ 430,00						
	GH180X60-6K	backlight 180x60mm h 26mm White 6000K Opaline cover 1740Lm 0,48A 12W 2Mt cable 2 Wires	€ 570,00						
	GH120X120-6K	backlight 120x120mm h 26mm White 6000K Opaline cover 2320Lm 0,64A 15W 2Mt cable 2 Wires	€ 710,00						
	GH180X120-6K	backlight 180x120mm h 26mm White 6000K Opaline cover 3450Lm 0,96A 23W 2Mt cable 2 Wires	€ 950,00						
	GH180X180-6K	backlight 180x180mm h 26mm White 6000K Opaline cover 3900Lm 1,08A 26W 2Mt cable 2 Wires	€ 1.230,00						
	GH300X180-6K	backlight 300x180mm h 26mm White 6000K Opaline cover 6450Lm 1,8A 43W 2Mt cable 2 Wires	€ 1.750,00						
	GH300X300-6K	backlight 300x300mm h 26mm White 6000K Opaline cover 7200Lm 2A 48W 2Mt cable 2 Wires	€ 2.520,00						
	GH420X300-6K	backlight 420x300mm h 26mm White 6000K Opaline cover 10000Lm 2,8A 67W 2Mt cable 2 Wires	€ 2.980,00						
	GH420X420-6K	backlight 420x420mm h 26mm White 6000K Opaline cover 14100Lm 3,92A 94W 2Mt cable 2 Wires	€ 3.550,00						
			GH model 2-4 weeks delivery time						
GH examples	Code	Combine the variables to find your solution		Length AA	Height BB	Led colour YYY	Power CCC	Cover variants WW1	Supply connection WW2
	GHAAXB-YYY-CCC-WW								
	GH94X80-6K-OPC	backlight 94x80 mm h 12mm 6000K collimating filter use Tonmax50% 500mA 2Mt cable 2 Wires	€ 1.105,00					-OPC Collimating filter	
	GH105X80-6K	backlight 105x80 mm h 30mm 6000K 360mA 8,6 W 2Mt cable 2 Wires	€ 890,00	105mm	80mm				
	GH117X100-6K-M12S	backlight 117x100 mm h 20mm 6000K 3,6A 20 cm M12 5 poles cable+ start	€ 880,00	117mm	100mm				-M12S
	GH124X116-6K-M8	backlight 124x116 mm h 12mm 6000K 1050mA 25,2W 20cm M8 3 poles cable	€ 1.080,00	124mm	116mm				-M8
	GH180X180-625-M12S	backlight 180x180mm h 26mm Red 625nm Opaline cover 1,08A 26W 20 cm M12 5 poles cable+ start	€ 1.600,00			Red 625nm			M12S
	GH190X100-6K	backlight 190x100 mm h 25mm 6000K 300mA 7,2W 2Mt cable 2 Wires	€ 680,00	190mm	100mm				
	GH195X180-6K	backlight 195x180 mm h 25mm 6000K 1,62A 2Mt cable 2 Wires	€ 1.070,00	195mm	180mm				
	GH195X180-6K-M8	backlight 195x180 mm h12mm 6000K 1,62A 20 cm M8 3 poles cable	€ 1.080,00	195mm	180mm				-M8
	GH206X118-6K-M8	backlight 206x118 mm h 12mm 6000K 1750mA 25,2 W 20 cm 2 poles cable	€ 1.450,00	206mm	118mm				-M8
	GH258X195-6K	backlight 258x195 mm h 12mm 6000K 1,62A 2Mt cable 2 Wires	€ 1.530,00	258mm	195mm				
	GH262X195-6K-15	backlight 262x195 mm h 12mm 6000K 15mA per led low power 2,4 A, 2Mt cable 2 Wires	€ 1.580,00	292mm	195mm		-15mA per led		
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it									
Example :	Model GHAABB-YYY-CCC-XYZ	product reserved for customer XYZ							

GB - GENESI BACKLIGHT

GB - GENESI BACKLIGHT		Configuration Guide 2026 page 43,44									
		Backlight Code	Description	Price list 2026		Base model short delivery times Request a sample for your tests					
GB base model		GB060060-6K	backlight 4 Driving Modes 60x60mm White 6000K Opaline cover 580/2900Lm 0,16/0,8A 4/19W 20cm cable M12 M 5P	€	460,00	Internal controller with 4 Driving modes 1 100% Continuous use 2 200% Semi-continuous use 3 400% Strobe use 4 10-100% Analog Reg.  M12 5P Male Connector Pin 1 +24V Pin 2 Start NPN < 1 to 0V Pin 3 GND Pin 4 Start PNP > 3 to 24V Pin 5 1-10V Analog Reg.					
		GB060120-6K	backlight 4 Driving Modes 60x120mm White 6000K Opaline cover 1160/5700Lm 0,32/1,6A 8/38W 20cm cable M12 M 5P	€	720,00						
		GB060180-6K	backlight 4 Driving Modes 60x180mm White 6000K Opaline cover 1740/8640Lm 0,48/2,4A 12/58W 20cm cable M12 M 5P	€	980,00						
		GB060240-6K	backlight 4 Driving Modes 60x240mm White 6000K Opaline cover 2320/11500Lm 0,64/3,2A 15/77W 20cm cable M12 M 5P	€	1.180,00						
		GB120120-6K	backlight 4 Driving Modes 120x120mm White 6000K Opaline cover 2320/11500Lm 0,64/3,2A 15/77W 20cm cable M12 M 5P	€	1.180,00						
		GB120180-6K	backlight 4 Driving Modes 120x180mm White 6000K Opaline cover 3450/17300Lm 0,96/4,8A 23/115W 20cm cable M12 M 5P	€	1.480,00						
		GB180180-6K	backlight 4 Driving Modes 180x180mm White 6000K Opaline cover 3900/26000Lm 1,08/7,2A 26/173W 20cm cable M12 M 5P	€	1.820,00						
		GB180300-6K	backlight 4 Driving Modes 180x300mm White 6000K Opaline cover 6450/43200Lm 1,8/12A 43/288W 20cm cable M12 M 5P	€	2.400,00						
		GB240240-6K	backlight 4 Driving Modes 240x240mm White 6000K Opaline cover 6900/46000Lm 1,9/12,8A 46/307W 20cm cable M12 M 5P	€	2.560,00						
		GB300300-6K	backlight 4 Driving Modes 300x300mm White 6000K Opaline cover 7200/54000Lm 2/15A 48/360W 20cm cable M12 M 5P	€	3.150,00						
	GB300420-6K	backlight 4 Driving Modes 300x420mm White 6000K Opaline cover 10000/75600Lm 2,8/21A 67/504W 20cm 2 cable M12 M 5P	€	3.600,00							
	GB420420-6K	backlight 4 Driving Modes 420x420mm White 6000K Opaline cover 14100/105700Lm 3,92/29,4A 94/705W 20cm 2 cable M12 M 5P	€	4.050,00							
	GB480480-6K	backlight 4 Driving Modes 480x480mm White 6000K Opaline cover 18500/138000Lm 5,12/38,4A 123/920W 20cm 2 cable M12 M 5P	€	5.160,00							
					GB model 1-4 weeks delivery time						
		Code	Combine the variables to find your solution			Length AAA	Height BBB	Led colour YYY	Custom version XYZ		
GB examples		GBAAABBB-YYY-XYZ									
		GB060060-450	backlight 4 Driving Modes 60x60mm BLUE 450nm Opaline cover 0,16/0,8A 4/19W 20cm cable M12 M 5P	€	483,00			BLUE 450nm			
		GB060060-625	backlight 4 Driving Modes 60x60mm RED 625nm Opaline cover 0,16/0,8A 4/19W 20cm cable M12 M 5P	€	483,00			Red 625nm			
		GB060060-850	backlight 4 Driving Modes 60x60mm IR 850nm Opaline cover 0,10/0,32A 2,4/7,7W 20cm cable M12 M 5P	€	506,00			IR 850nm			
		GB060060-1200	backlight 4 Driving Modes 60x60mm SWIR 1200nm Opaline cover 0,12/0,4A 2,9/9,6W 20cm cable M12 M 5P	€	1.380,00			SWIR 1200nm			
		GB090120-6K	backlight 4 Driving Modes 90x120mm White 6000K Opaline cover 1740/10800Lm 0,48/2,4A 12/58W 20cm cable M12 M 5P	€	1.040,00	90mm	120mm				
		GB120120-524	backlight 4 Driving Modes 120x120mm GREEN 624nm Opaline cover 0,64/3,2A 15/77W 20cm cable M12 M 5P	€	1.239,00			Green 524nm			
		GB120120-950	backlight 4 Driving Modes 120x120mm IR 950nm Opaline cover 0,40/1,28A 9,6/30,7W 20cm cable M12 M 5P	€	1.300,00			IR 950nm			
		GB180180-6K-CC-4M8	backlight 180x180mm White 6000K Opaline cover Current control 324 led 6A max 22Vmax 20cm cable M8 4P M	€	1.840,00					-CC-4M8	
		GB180180-625	backlight 4 Driving Modes 180x180mm RED 625nm Opaline cover 1,08/5,4A 26/130W 20cm cable M12 M 5P	€	1.910,00			Red 625nm			
		GB180240-1550	backlight 4 Driving Modes 180x240mm SWIR 1550nm Opaline cover 1,44/4,8A 35/115W 20cm cable M12 M 5P	€	5.040,00	180mm	240mm	SWIR 1550nm			
		GB180300-524	backlight 4 Driving Modes 180x300mm GREEN 524nm Opaline cover 1,8/12A 43/288W 20cm cable M12 M 5P	€	2.880,00			Green 524nm			
		GB300300-850	backlight 4 Driving Modes 300x300mm IR 850nm Opaline cover 2/8A 48/240W 20cm cable M12 M 5P	€	4.095,00			IR 850nm			
		GB420420-625	backlight 4 Driving Modes 420x420mm RED 625nm Opaline cover 3,92/15,7A 94/470W 20cm cable M12 M 5P	€	4.860,00			Red 625nm			
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it											
Example :		GBAAABBBYYY-XYZ	product reserved for customer XYZ								
		GB060060-PX2-AP	60x60mm Additional protection 2 mm transparent plexiglass + screws	€	28,00						
		GB060060-P-AP	60x60 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	70,00						
		GB060060-C-AP	60x60 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	82,00						
		GB060120-PX2-AP	60x120mm Additional protection 2 mm transparent plexiglass + screws	€	32,00						
		GB060120-P-AP	60x120 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	100,00						
		GB060120-C-AP	60x120 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	112,00						
		GB060180-PX2-AP	60x180mm Additional protection 2 mm transparent plexiglass + screws	€	38,00						
		GB060180-P-AP	60x180 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	130,00						
		GB060180-C-AP	60x180 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	140,00						
		GB060240-P-AP	60x240 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	142,00						
		GB060240-C-AP	60x240 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	155,00						
		GB120120-PX2-AP	120x120mm Additional protection 2 mm transparent plexiglass + screws	€	46,00						
		GB120120-P-AP	120x120 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	142,00						
		GB120120-C-AP	120x120 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	155,00						
		GB120180-PX2-AP	120x180mm Additional protection 2 mm transparent plexiglass + screws	€	52,00						

GB accessory	GB120180-P-AP	120x180 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	210,00				
	GB120180-C-AP	120x180 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	225,00				
	GB180180-PX2-AP	180x180mm Additional protection 2 mm transparent plexiglass + screws	€	64,00				
	GB180180-P-AP	180x180 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	300,00				
	GB180180-C-AP	180x180 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	315,00				
	GB180240-PX2-AP	180x240mm Additional protection 2 mm transparent plexiglass + screws	€	72,00				
	GB180240-P-AP	180x240 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	345,00				
	GB180240-C-AP	180x240 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	362,00				
	GB180300-PX2-AP	180x300mm Additional protection 2 mm transparent plexiglass + screws	€	78,00				
	GB180300-P-AP	180x300 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	385,00				
	GB180300-C-AP	180x300 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	404,00				
	GB300300-PX2-AP	300x300mm Additional protection 2 mm transparent plexiglass + screws	€	96,00				
	GB300300-P-AP	300x300 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	825,00				
	GB300300-C-AP	300x300 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	€	850,00				
	GB420420-PX2-AP	420x420mm Additional protection 2 mm transparent plexiglass + screws	€	130,00				
	GB420420-P-AP	420x420 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	1.320,00				
	GB420420-C-AP	420x420 mm Additional protection 2 mm Transparent plexiglass + Collimating Filter + screws	not available					

BLUE LINE										
GF - GENESI FLAT DOME	Flat dome light	Configuration Guide 2026 page 47,48								
	Code	Description		Price list 2026						
GF base model	GF180180-6K	flat dome light 4 Driving Modes 180x180mm Hole 55mm White 6000K Opaline cover 3450/23100Lm 0,96/6,4A 23/154W 20cm cable M12 M 5P	€	1.920,00	Base model short delivery times Request a sample for your tests Internal controller with 4 Driving modes 1 100% Continuous use 2 200% Semi-continuous use 3 400% Strobe use 4 10-100% Analog Reg.  M12 5P Male Connector Pin 1+24V Pin 2Start NPN < 1 to 0V Pin 3GND Pin 4Start PNP > 3 to 24V Pin 51-10V Analog Reg.					
	GF180300-6K	flat dome light 4 Driving Modes 180x300mm Hole 55mm White 6000K Opaline cover 6000/40350Lm 1,68/11,2A 40/269W 20cm cable M12 M 5P	€	2.500,00						
	GF240240-6K	flat dome light 4 Driving Modes 240x240mm Hole 55mm White 6000K Opaline cover 6450/43200Lm 1,8/12A 43/288W 20cm cable M12 M 5P	€	2.500,00						
	GF300300-6K	flat dome light 4 Driving Modes 300x300mm Hole 55mm White 6000K Opaline cover 6900/51750Lm 1,92/14,3A 46/345W 20cm cable M12 M 5P	€	3.250,00						
	GF300420-6K	flat dome light 4 Driving Modes 300x420mm Hole 55mm White 6000K Opaline cover 9750/73500Lm 2,72/20,4A 65/490W 20cm cable M12 M 5P	€	3.700,00						
	GF420420-6K	flat dome light 4 Driving Modes 420x420mm Hole 55mm White 6000K Opaline cover 14100/103700Lm 3,92/28,8A 94/691W 20cm cable M12 M 5P	€	4.150,00						
	GF480480-6K	flat dome light 4 Driving Modes 480x480mm Hole 55mm White 6000K Opaline cover 18150/145500Lm 5,04/40,4A 121/970W 20cm cable M12 M 5P	€	5.300,00						
				GF model 1-4 weeks delivery time						
GF examples	Code	Combine the variables to find your solution			Length	Height	Led colour	Custom version		
	GFAABB-YYY				AA	BB	YYY	XYZ		
	GF180180-450	flat dome light 4 Driving Modes 180x180mm Hole 55mm BLUE 450nm Opaline cover 0,96/6,4A 23/154W 20cm cable M12 M 5P	€	2.020,00			BLUE 450nm			
	GF180180-625	flat dome light 4 Driving Modes 180x180mm Hole 55mm RED 625nm Opaline cover 0,96/4,8A 23/115W 20cm cable M12 M 5P	€	2.020,00			Red 625nm			
	GF180180-850	flat dome light 4 Driving Modes 180x180mm Hole 55mm IR 850nm Opaline cover 0,8/2,56A 19,2/61,5W 20cm cable M12 M 5P	€	2.110,00			IR 850nm			
	GF180180-1200	flat dome light 4 Driving Modes 180x180mm Hole 55mm IR 850nm Opaline cover 0,96/3,2A 23/76,8W 20cm cable M12 M 5P	€	4.800,00			SWIR 1200nm			
	GF180240-6K	flat dome light 4 Driving Modes 180x240mm Hole 55mm White 6000K Opaline cover 4750/32300Lm 1,32/9,0A 32/215W 20cm cable M12 M 5P	€	2.340,00	180mm	240mm				
	GF180300-524	flat dome light 4 Driving Modes 180x300mm Hole 55mm GREEN 524nm Opaline cover 1,68/11,2A 40/269W 20cm cable M12 M 5P	€	3.000,00			Green 524nm			
	GF180300-950	flat dome light 4 Driving Modes 180x300mm Hole 55mm IR 950nm Opaline cover 1,4/4,48A 34/108W 20cm cable M12 M 5P	€	3.250,00			IR 950nm			
	GF300300-625	flat dome light 4 Driving Modes 300x300mm Hole 55mm RED 625nm Opaline cover 1,92/9,6A 46/230W 20cm cable M12 M 5P	€	3.900,00			Red 625nm			
GF300300-1450	flat dome light 4 Driving Modes 300x300mm Hole 55mm IR 1450nm Opaline cover 1,92/9,6A 46/230W 20cm cable M12 M 5P	€	8.100,00			SWIR 1450nm				
	GF480480-625	flat dome light 4 Driving Modes 480x480mm Hole 55mm RED 625nm Opaline cover 5,04/25,2A 121/605W 20cm cable M12 M 5P	€	6.360,00			Red 625nm			
	GF600600-6K	flat dome light 4 Driving Modes 600x600mm Hole 55mm White 6000K Opaline cover 28500/142500Lm 7,9/63A 190/1500W 20cm cable M12 M 5P	€	7.800,00	600mm	600mm				
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it										
Example :	GFAABYYYY-XYZ	product reserved for customer XYZ								
GF accessory	GF180180-PX2-AP	180x180mm Additional protection 2 mm transparent plexiglass + screws	€	66,00						
	GF180180-P-AP	180x180 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	310,00						
	GF180300-PX2-AP	180x300mm Additional protection 2 mm transparent plexiglass + screws	€	80,00						
	GF180300-P-AP	180x300 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	395,00						
	GF300300-PX2-AP	300x300mm Additional protection 2 mm transparent plexiglass + screws	€	96,00						
	GF300300-P-AP	300x300 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	835,00						
	GF300420-PX2-AP	300x420mm Additional protection 2 mm transparent plexiglass + screws	€	115,00						
	GF300420-P-AP	300x420 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	1.060,00						
	GF420420-PX2-AP	420x420mm Additional protection 2 mm transparent plexiglass + screws	€	130,00						
	GF420420-P-AP	420x420 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	1.340,00						
	GF480480-PX2-AP	480x480mm Additional protection 2 mm transparent plexiglass + screws	€	155,00						
	GF480480-P-AP	480x480 mm Additional protection 2 mm Transparent plexiglass + Polarizing Filter horizontal + screws	€	1.670,00						

[illegible]

FIVE COLORS	Bar light	Configuration Guide 2026 page 51,52					
	Code	Description	Price list 2026				
Profile GEILD base model	GEILD10-RGBYW-T-2	bar light 10 cm 6 led x 5 colors single color use Transparent cover 100mA 2,4W 20cm cable M12 5P M+F 3 logic start UL	€	112,00	Base model short delivery times Request a sample for your tests		
	GEILD10-RGBYW-ST-2	bar light 10 cm 6 led x 5 colors single color use Satin PC cover 100mA 2,4W 20cm cable M12 5P M+F 3 logic start UL	€	112,00			
	GEILD20-RGBYW-T-2	bar light 20 cm 12 led x 5 colors single color use Transparent cover 200mA 5W 20cm cable M12 5P M+F 3 logic start UL	€	164,00			
	GEILD20-RGBYW-ST-2	bar light 20 cm 12 led x 5 colors single color use Satin PC cover 200mA 5W 20cm cable M12 5P M+F 3 logic start UL	€	164,00			
	GEILD28-RGBYW-T-2	bar light 28 cm 18 led x 5 colors single color use Transparent cover 300mA 7,2W 20cm cable M12 5P M+F 3 logic start UL	€	210,00			
	GEILD28-RGBYW-ST-2	bar light 28 cm 18 led x 5 colors single color use Satin PC cover 300mA 7,2W 20cm cable M12 5P M+F 3 logic start UL	€	210,00			
	GEILD34-RGBYW-T-2	bar light 34 cm 24 led x 5 colors single color use Transparent cover 400mA 10W 20cm cable M12 5P M+F 3 logic start UL	€	255,00			
	GEILD34-RGBYW-ST-2	bar light 34 cm 24 led x 5 colors single color use Satin PC cover 400mA 10W 20cm cable M12 5P M+F 3 logic start UL	€	255,00			
	GEILD42-RGBYW-T-2	bar light 42 cm 30 led x 5 colors single color use Transparent cover 500mA 12W 20cm cable M12 5P M+F 3 logic start UL	€	295,00			
	GEILD42-RGBYW-ST-2	bar light 42 cm 30 led x 5 colors single color use Satin PC cover 500mA 12W 20cm cable M12 5P M+F 3 logic start UL	€	295,00			
	GEILD50-RGBYW-T-2	bar light 50 cm 36 led x 5 colors single color use Transparent cover 600mA 14,4W 20cm cable M12 5P M+F 3 logic start UL	€	340,00			
	GEILD50-RGBYW-ST-2	bar light 50 cm 36 led x 5 colors single color use Satin PC cover 600mA 14,4W 20cm cable M12 5P M+F 3 logic start UL	€	340,00			
	GEILD60-RGBYW-T-2	bar light 60 cm 42 led x 5 colors single color use Transparent cover 700mA 17W 20cm cable M12 5P M+F 3 logic start UL	€	380,00			
	GEILD60-RGBYW-ST-2	bar light 60 cm 42 led x 5 colors single color use Satin PC cover 700mA 17W 20cm cable M12 5P M+F 3 logic start UL	€	380,00			
	GEILD100-RGBYW-T-2	bar light 100 cm 72 led x 5 colors single color use Transparent cover 1200mA 29W 20cm cable M12 5P M+F 3 logic start UL	€	540,00			
	GEILD100-RGBYW-ST-2	bar light 100 cm 72 led x 5 colors single color use Satin PC cover 1200mA 29W 20cm cable M12 5P M+F 3 logic start UL	€	540,00			
GEILD200-RGBYW-T-2	bar light 200 cm 144 led x 5 colors single color use Transparent cover 2400mA 58W 20cm cable M12 5P M+F 3 logic start UL	€	1.020,00				
GEILD200-RGBYW-ST-2	bar light 200 cm 144 led x 5 colors single color use Satin PC cover 2400mA 58W 20cm cable M12 5P M+F 3 logic start UL	€	1.020,00				
			GEILD model 1-4 weeks delivery time				
GEILD examples	Code	Combine the variables to find your solution		Length	Cover variants	Fixing variants	Supply connection
	GEILDXXX-RGBYW-CCC-WW			XXX	WW1	WW2	WW3
	GEILD10-RGBYW-ST-FS-2	bar light 10 cm 6 led x 5 colors single color use Satin PC cover 100mA 2,4W 20cm cable M12 5P M+F 3 logic start UL	€	112,00	-ST	-FS	
	GEILD10-RGBYW-OPB-2	bar light 10 cm 6 led x 5 colors single color use Black Opaline cover 100mA 2,4W 20cm cable M12 5P M+F 3 logic start UL	€	112,00	-OPB		
	GEILD28-RGBYW-T-FS-2	bar light 28 cm 18 led x 5 colors single color use Transparent cover 300mA 7,2W Rear Fixing 20cm cable M12 5P M+F 3 logic start UL	€	210,00		-FS	
	GEILD28-RGBYW-T-1	bar light 28 cm 18 led x 5 colors single color use Transparent cover 300mA 7,2W 20cm cable M12 5P M 3 logic start UL	€	205,00			-M12 (only male conn.)
	GEILD76-RGBYW-ST-1	bar light 76 cm 54 led x 5 colors single color use Satin PC cover 900mA 22W 20cm cable M12 5P M 3 logic start UL	€	450,00	76cm	-ST	-M12 (only male conn.)
	GEILD150-RGBYW-T-2	bar light 150 cm 108 led x 5 colors single color use Transparent cover 1800mA 43W 20cm cable M12 5P M+F 3 logic start UL	€	760,00	150cm		
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it							
	Code	Description	Price list 2025				
Profile GEM base model	GEM20-RGBYW-T-2	bar light 20 cm 12 led x 5 colors single color use Transparent cover 200mA 5W 20cm cable M12 5P M+F 3 logic start UL	€	164,00	Base model short delivery times Request a sample for your tests		
	GEM20-RGBYW-OP-2	bar light 20 cm 12 led x 5 colors single color use Opaline cover 200mA 5W 20cm cable M12 5P M+F 3 logic start UL	€	164,00			
	GEM28-RGBYW-T-2	bar light 28 cm 18 led x 5 colors single color use Transparent cover 300mA 7,2W 20cm cable M12 5P M+F 3 logic start UL	€	210,00			
	GEM28-RGBYW-OP-2	bar light 28 cm 18 led x 5 colors single color use Opaline cover 300mA 7,2W 20cm cable M12 5P M+F 3 logic start UL	€	210,00			
	GEM34-RGBYW-T-2	bar light 34 cm 24 led x 5 colors single color use Transparent cover 400mA 10W 20cm cable M12 5P M+F 3 logic start UL	€	255,00			
	GEM34-RGBYW-OP-2	bar light 34 cm 24 led x 5 colors single color use Opaline cover 400mA 10W 20cm cable M12 5P M+F 3 logic start UL	€	255,00			
	GEM42-RGBYW-T-2	bar light 42 cm 30 led x 5 colors single color use Transparent cover 500mA 12W 20cm cable M12 5P M+F 3 logic start UL	€	295,00			
	GEM42-RGBYW-OP-2	bar light 42 cm 30 led x 5 colors single color use Opaline cover 500mA 12W 20cm cable M12 5P M+F 3 logic start UL	€	295,00			
	GEM50-RGBYW-T-2	bar light 50 cm 36 led x 5 colors single color use Transparent cover 600mA 14,4W 20cm cable M12 5P M+F 3 logic start UL	€	340,00			
	GEM50-RGBYW-OP-2	bar light 50 cm 36 led x 5 colors single color use Opaline cover 600mA 14,4W 20cm cable M12 5P M+F 3 logic start UL	€	340,00			
	GEM60-RGBYW-T-2	bar light 60 cm 42 led x 5 colors single color use Transparent cover 700mA 17W 20cm cable M12 5P M+F 3 logic start UL	€	380,00			
	GEM60-RGBYW-OP-2	bar light 60 cm 42 led x 5 colors single color use Opaline cover 700mA 17W 20cm cable M12 5P M+F 3 logic start UL	€	380,00			
	GEM100-RGBYW-T-2	bar light 100 cm 72 led x 5 colors single color use Transparent cover 1200mA 29W 20cm cable M12 5P M+F 3 logic start UL	€	540,00			
	GEM100-RGBYW-OP-2	bar light 100 cm 72 led x 5 colors single color use Opaline cover 1200mA 29W 20cm cable M12 5P M+F 3 logic start UL	€	540,00			
	GEM200-RGBYW-T-2	bar light 200 cm 144 led x 5 colors single color use Transparent cover 2400mA 58W 20cm cable M12 5P M+F 3 logic start UL	€	1.020,00			
	GEM200-RGBYW-OP-2	bar light 200 cm 144 led x 5 colors single color use Opaline cover 2400mA 58W 20cm cable M12 5P M+F 3 logic start UL	€	1.020,00			
			GEM model 1-4 weeks delivery time				
GEM examples	Code	Combine the variables to find your solution		Length	Cover variants	Fixing variants	Supply connection
	GEMXXX-RGBYW-CCC-WW			XXX	WW1	WW2	WW3

[illegible]

[illegible]

IMB	Industrial Metric bar light	Configuration Guide 2026 page 53,54				
	Code	Description	Price list 2026			
IMB base model	IMB25-RGB-T-US	Industrial metric bar light 25 cm RGB transparent cover 0,25A 6W Rear fixing & cable 20cm M12 5P M + F	€ 130,00	10 mm led definition n combined length 16 metres Base model short delivery times Request a sample for your tests		
	IMB25-RGB-OP-US	Industrial metric bar light 25 cm RGB opaline cover 0,25A 6W Rear fixing & cable 20cm M12 5P M + F	€ 130,00			
	IMB50-RGB-T-US	Industrial metric bar light 50 cm RGB transparent cover 0,5A 12W Rear fixing & cable 20cm M12 5P M + F	€ 220,00			
	IMB50-RGB-OP-US	Industrial metric bar light 50 cm RGB Opaline cover 0,5A 12W Rear fixing & cable 20cm M12 5P M + F	€ 220,00			
	IMB100-RGB-T-US	Industrial metric bar light 100 cm RGB transparent cover 1A 24W Rear fixing & cable 20cm M12 5P M + F	€ 400,00			
	IMB100-RGB-OP-US	Industrial metric bar light 100 cm RGB opaline cover 1A 24W Rear fixing & cable 20cm M12 5P M + F	€ 400,00			
	IMB150-RGB-T-US	Industrial metric bar light 150 cm RGB transparent cover 1,5A 36W Rear fixing & cable 20cm M12 5P M + F	€ 580,00			
	IMB150-RGB-OP-US	Industrial metric bar light 150 cm RGB opaline cover 1,5A 36W Rear fixing & cable 20cm M12 5P M + F	€ 580,00			
	IMB200-RGB-T-US	Industrial metric bar light 200cm RGB transparent cover 2A 48W Rear fixing & cable 20cm M12 5P M + F	€ 760,00			
	IMB200-RGB-OP-US	Industrial metric bar light 200 cm RGB opaline cover 2A 48W Rear fixing & cable 20cm M12 5P M + F	€ 760,00			
	IMB250-RGB-T-US	Industrial metric bar light 250 cm RGB transparent cover 2,5A 60W Rear fixing & cable 20cm M12 5P M + F	€ 940,00			
	IMB250-RGB-OP-US	Industrial metric bar light 250 cm RGB opaline cover 2,5A 60W Rear fixing & cable 20cm M12 5P M + F	€ 940,00			
	IMB300-RGB-T-US	Industrial metric bar light 300 cm RGB transparent cover 3A 72W Rear fixing & cable 20cm M12 5P M + F	€ 1.120,00			
	IMB300-RGB-OP-US	Industrial metric bar light 300 cm RGB opaline cover 3A 72W Rear fixing & cable 20cm M12 5P M + F	€ 1.120,00			
	IMB400-RGB-T-US	Industrial metric bar light 400 cm RGB transparent cover 3A 72W Rear fixing & cable 20cm M12 5P M + F	€ 1.480,00			
	IMB400-RGB-OP-US	Industrial metric bar light 400 cm RGB opaline cover 3A 72W Rear fixing & cable 20cm M12 5P M + F	€ 1.480,00			
	Code	Description	Price list 2026			
IMB HD base model	IMB20-RGBHD-T-US	Industrial metric bar light 20 cm RGBHD transparent cover 0,2A 5W Rear fixing & cable 20cm M12 5P M + F	€ 215,00	4 mm led definition num length 4 metres Base model short delivery times Request a sample for your tests		
	IMB20-RGBHD-OP-US	Industrial metric bar light 20 cm RGBHD opaline cover 0,2A 5W Rear fixing & cable 20cm M12 5P M + F	€ 215,00			
	IMB40-RGBHD-T-US	Industrial metric bar light 40 cm RGBHD transparent cover 0,4A 10W Rear fixing & cable 20cm M12 5P M + F	€ 400,00			
	IMB40-RGBHD-OP-US	Industrial metric bar light 40 cm RGBHD Opaline cover 0,4A 10W Rear fixing & cable 20cm M12 5P M + F	€ 400,00			
	IMB60-RGBHD-T-US	Industrial metric bar light 60 cm RGBHD transparent cover 0,6A 15W Rear fixing & cable 20cm M12 5P M + F	€ 585,00			
	IMB60-RGBHD-OP-US	Industrial metric bar light 60 cm RGBHD opaline cover 0,6A 15W Rear fixing & cable 20cm M12 5P M + F	€ 585,00			
	IMB80-RGBHD-T-US	Industrial metric bar light 80 cm RGBHD transparent cover 0,8A 20W Rear fixing & cable 20cm M12 5P M + F	€ 580,00			
	IMB80-RGBHD-OP-US	Industrial metric bar light 80 cm RGBHD opaline cover 0,8A 20W Rear fixing & cable 20cm M12 5P M + F	€ 580,00			
	IMB100-RGBHD-T-US	Industrial metric bar light 100 cm RGBHD transparent cover 1A 24W Rear fixing & cable 20cm M12 5P M + F	€ 950,00			
	IMB100-RGBHD-OP-US	Industrial metric bar light 100 cm RGBHD opaline cover 1A 24W Rear fixing & cable 20cm M12 5P M + F	€ 950,00			
	IMB200-RGBHD-T-US	Industrial metric bar light 200 cm RGBHD transparent cover 2,0A 48W Rear fixing & cable 20cm M12 5P M + F	€ 1.760,00			
	IMB200-RGBHD-OP-US	Industrial metric bar light 200 cm RGBHD opaline cover 2,0A 48W Rear fixing & cable 20cm M12 5P M + F	€ 1.870,00			
	IMB400-RGBHD-T-US	Industrial metric bar light 400 cm RGBHD transparent cover 4A 96W Rear fixing & cable 20cm M12 5P M + F	€ 3.490,00			
	IMB400-RGBHD-OP-US	Industrial metric bar light 400 cm RGBHD opaline cover 4A 96W Rear fixing & cable 20cm M12 5P M + F	€ 3.490,00			
			IMB model 1-4 weeks delivery time			
IMB examples	Code	Combine the variables to find your solution		Length	Cover variants	Fixing variants
	IMBXXX-WW1-WW2			XXX	WW1	WW2
	IMB50-RGB-T-UL	Industrial metric bar light 50 cm RGB transparent cover 0,5A 12W Rear fixing & side cable 20cm M12 5P M + F	€ 220,00			-UL (side cable)
	IMB50-RGB-T-UA	Industrial metric bar light 50 cm RGB transparent cover 0,5A 12W Front fixing & axial cable 20cm M12 5P M + F	€ 220,00			-UA (axial cable)
	IMB50-RGB-OPB-US	Industrial metric bar light 50 cm RGB Black opaline cover 0,5A 12W Rear fixing & cable 20cm M12 5P M + F	€ 220,00		-OPB (black opaline)	
	IMB75-RGB-ST-US	Industrial metric bar light 75 cm RGB Satin cover 0,75A 18W Rear fixing & cable 20cm M12 5P M + F	€ 310,00	75cm	-ST (satin)	
	IMB100-RGB-OP-UA	Industrial metric bar light 100 cm RGB opaline cover 1A 24W Front fixing & cable 20cm M12 5P M + F	€ 400,00			-UA (axial cable)
	IMB100-RGBHD-OP-UA	Industrial metric bar light 100 cm RGBHD opaline cover 1A 24W Front fixing & cable 20cm M12 5P M + F	€ 950,00			-UA (axial cable)
	IMB125-RGB-T-UL	Industrial metric bar light 125 cm RGB transparent cover 1,25A 30W Rear fixing & Side cable 20cm M12 5P M + F	€ 490,00	125cm		-UL (side cable)
	IMB150-RGB-OPB-US	Industrial metric bar light 150 cm RGB Black opaline cover 1,5A 36W Rear fixing & cable 20cm M12 5P M + F	€ 580,00		-OPB (black opaline)	
	IMB200-RGB-OP-UA	Industrial metric bar light 200 cm RGB opaline cover 2A 48W Front fixing & axial cable 20cm M12 5P M + F	€ 760,00			-UA (axial cable)
	IMB250-RGB-T-US	Industrial metric bar light 250 cm RGB transparent cover 2,5A 60W Rear fixing & cable 20cm M12 5P M + F	€ 940,00	250cm		

	IMB300-RGB-OP-UL	Industrial metric bar light 300 cm RGB opaline cover 3A 72W Rear fixing & side cable 20cm M12 5P M + F	€	1.120,00			-UL (side cable)
	IMB350-RGB-ST-US	Industrial metric bar light 350 cm RGB Satin cover 3,5A 84W Rear fixing & cable 20cm M12 5P M + F	€	1.300,00	350cm	-ST (satin)	
	IMB400-RGB-T-UA	Industrial metric bar light 400 cm RGB transparent cover 4A 96W Front fixing & cable 20cm M12 5P M + F	€	1.480,00	400cm		-UA (axial cable)
	IMB1000-RGB-T-US	Industrial metric bar light 10Mt (4+2+4) RGB transparent cover 10A 240W Rear fixing & 3 cable 20cm M12 5P M + F	€	3.640,00	10Mt (4+2+4)		
If the variables do not satisfy your needs, ask for an exclusive custom product for your application at info@genesi-lux.it							
Example :	IMBXXX-VVV1-XYZ	product reserved for customer XYZ					
IMB accessory	IMB-FIX	IMB fixing plint for -US & -UL (Rear fixing)	€	40,00			
	IMB-EXT-PW	Auxiliary power supply for IMBs over 8 meters T-adapter; M12 male, M12 female x2 (Bypass RS485 + Power 24V)	€	48,00			
	IMB-M12-CAP-F	M12 female connector cap	€	12,00			

Configuration Guide 2026 page 55,56

All Genesi range of solutions have a trigger as a logical driving option, for example: S, M8S, M12S. They enable the lighting with a trigger from 15 to 24 V.
The new generations of Genesi solutions which have been introduced lately (GP, GEST Mega-Ring, GB, GF and GS) have an internal controller that allows to have 4 driving modes and ensures the monitoring of the safety time and temperature.

Voltage controller

	Code	Description	Price list 2026	
AS5 model	-AS5-DIM1	Dimmer 1 way Controller -AS5-DIM1 to be integrated into another product, Human vision only, not recommended for machine vision	€ 60,00	
	-AS5-DIM2	Dimmer 2 way Controller -AS5-DIM2 to be integrated into another product, Human vision only, not recommended for machine vision	€ 60,00	
	-AS5-10%	Strobe Voltage Controller -AS5 DT max 10% (200mS average) to be integrated into another product	€ 60,00	
	GEIL10-AS5-10%-M8	Strobe Voltage Controller GEIL10 & AS5 max 3A, DT max 10% (200mS average) 20cm M8 3 p M/F	€ 110,00	
	GEIL10-AS5-10%-M12	Strobe Voltage Controller GEIL10 & AS5 max 5A, DT max 10% (200mS average) 20cm M12 5 p M/F	€ 120,00	
ABS model	GE-ABS50-10X-20	Strobe Voltage Controller, Buffer 50A /1ms 24Vdc, DT max 10% (200mS average) Max cycle freq.10Khz	€ 260,00	
	GE-ABS50-10X-OPT	Strobe Voltage Controller, Buffer 50A /1ms 24Vdc, DT max 10% (200mS average) opto isolated input, Max cycle freq. 10Khz	€ 280,00	
	GE-ABS80B-10X-20	Strobe Voltage Controller, Buffer 80A /1ms 24Vdc, DT max 10% (200mS average) opto isolated input, Max cycle freq.10Khz	€ 390,00	
	GE-ABS604E	4 channels Strobe Voltage Controller, Buffer 60A /1ms 24Vdc, Programmable ETH, Max cycle freq. 34Khz	€ 850,00	
	GE-ABS606C-E	6+1 channels Strobe Voltage Controller, Buffer 60A /1ms 24Vdc, Programmable ETH, Max cycle freq. over 500Khz	€ 1.380,00	
	GE-ABS606D-E	6+2 channels Strobe Voltage Controller, Buffer 60A /1ms 24Vdc, Programmable ETH, Max cycle freq. over 1Mhz	€ 1.460,00	NEW
	GE-ABS606D-CAT	6+2 channels Strobe Voltage Controller, Buffer 60A /1ms 24Vdc , Programmable Ethercat , Max cycle freq. over 1Mhz	€ 1.660,00	NEW

I/O converter

RS485 converter	GE-RS485X2-ETH	Interface Module: ETH / 2 x RS485 24V 0,4 A for Industrial Metric bar light and more	€ 190,00	
RS485 converter	GE-RS485X2-ECAT	Interface Module: Ethercat / 2 x RS485 24V 0,4 A for Industrial Metric bar light and more	€ 240,00	
IO-Link converter	GE-4OUT-IO-LINK	Interface Module: IO-LINK 4 Digital Output 2A 24V for bar light and more	€ 140,00	
IO-Link converter	GE-R485-IO-LINK	Interface Module: IO-LINK 1x RS485 24V 0,4 A for Industrial Metric bar light and more	€ 210,00	
IO-Link converter	GE-4OUT-R485-IO-LINK	Interface Module: IO-LINK 4 Digital Output 2A 24V for Bar light and more + 1x RS485 24V 0,4A for Industrial Metric bar light and more	€ 250,00	



CABLES		Configuration Guide 2026 page 57-58	
	Code	Description	Price list 2026
	COD.XXX-YY-WW- M8	20cm PVC cable + M8 3 P M	€ 9,00
	COD.XXX-YY-WW- M8S	20cm PVC cable + M8 3 P M + Logic start	€ 15,00
	COD.XXX-YY-WW- M12	20cm PVC cable + M12 5 P M	€ 10,00
	COD.XXX-YY-WW- M12S	20cm PVC cable + M12 5 P M + Logic start	€ 16,00
	COD.XXX-YY-WW- 70N	70cm PVC cable + Mate-N-LOK 6P M (1-480704-0) 5 wire	€ 22,00
	COD.XXX-YY-WW- S	2Mt cable 3 P + Logic start	€ 8,00
	COD.XXX-YY-WW- 5M	5Mt cable 2 P	€ 7,00
	COD.XXX-YY-WW- 5MS	5Mt cable 3 P + Logic start	€ 9,00
	COD.XXX-YY-WW- 10M	10Mt cable 2 P	€ 14,00
	COD.XXX-YY-WW- 10MS	10Mt cable 3 P + Logic start	€ 18,00
Female extension cables	Code	Description	Price list 2026
	GE-M8F-3X035-2M	Female extension PVC Cable 3P 2Mt 0,35mm2 + M8 3P Female	€ 13,00
	GE-M8F-3X035-5M	Female extension PVC Cable 3P 5Mt 0,35mm2 + M8 3P Female	€ 22,00
	GE-M8F-3X035-10M	Female extension PVC Cable 3P 10Mt 0,35mm2 + M8 3P Female	€ 32,00
	GE-M12F-5X050-2M	Female extension PVC Cable 5P 2Mt 0,5mm2 + M12 5P Female	€ 14,00
	GE-M12F-5X050-5M	Female extension PVC Cable 5P 5Mt 0,5mm2 + M12 5P Female	€ 24,00
	GE-M12F-5X050-10M	Female extension PVC Cable 5P 10Mt 0,5mm2 + M12 5P Female	€ 35,00
	GE-M12F-8X020-2M	Female extension PVC Cable 8P 2Mt 0,2mm2 + M12 8P Female	€ 42,00
	GE-70N-2X1-3x035-2M	Female extension PVC Cable 5P 2Mt 2x1 + 3x0,35mm2 + Mate-N-LOK 6P Female	€ 18,00
	GE-70N-2X1-3x035-5M	Female extension PVC Cable 5P 5Mt 2x1 + 3x0,35mm2 + Mate-N-LOK 6P Female	€ 29,00
	GE-70N-2X1-3x035-10M	Female extension PVC Cable 5P 10Mt 2x1 + 3x0,35mm2 + Mate-N-LOK 6P Female	€ 48,00